

ISSUED TO M/S_____

TENDER DOCUMENT

FOR

ELECTRICAL WORK, AT UCO BANK, VARACHHA BRANCH,AT SURAT.

Site Address:- Shop G 8 to G 11 Twin Tower, Nr. Sardar Smruti Bhawan, Ankur Char Rasta A.K Road
Mini Bazar Varachha, Surat-395006

OFFICE OF THE, ZONAL MANAGER, UCO BANK, ZONAL OFFICE, 206 RIDDHI SHOPPERS, OPP. STAR BAZAR, ADAJAN - HAZIRA ROAD, ADAJAN, SURAT.

ARCHITECTS:

M/S SARJAN ARCHITECTS & PROJECT CONSULTANTS
51, River Palace – A, Opposite Old Civil Court,
Nanpura, Surat- 395001
E-mail id: sarjanarch.pc@gmail.com
Tel: 0261-2476778. Mob no:- 9879604404,987960444



DETAILS OF TENDER

TENDER FOR ELECTRICAL WORK AT UCO BANK VARACHHA BRANCH, AT SURAT

Details of work to be done

: Interior Allied Electrical works for UCO Bank,

At Varachha Branch

2 Form of Contract

: Item wise rate

3. Tender Fees

: Rs. 500/- (Five Hundred Only)

In Favor of Sarjan Architects & Project

Consultants payable at Surat.

By Cheque or DD.

Earnest Money :Rs.3000/-(ThreeThousand Rupees only) in form of Demand Draft in favor of UCO Bank, payable at Surat.

5. Period of contract /

: 7 Weeks time of Completion

Last Date & time for receiving

: 3/10/2020 before 15:00 Hrs. of sealed tender.

7. Liquidated damages for non-Completion of work in time

: 1.0% of the contract value per week subject to

a max of 10% of the contract value.

8. Defect Liability Period

: 12 months (Twelve months) from the

date of virtual completion as certified

by Architect / employer.

Retention amount for 12 months : 5% on Running Bill & Final Bill. 9.

10. Period of submitting of Final bill

: 15 days from the date of completion.

11. Mobilization Advance / Secured Advance

: No. Mobilization Advance / secured Advance will be given to the Contractor.

12 Place and date of opening of tender

: 03/10/2020 05:00 PM

At UCO BANK, Zonal OFFICE, 2nd Floor, 206, Riddhi Shoppers, Opp. Star Bazaar, Adajan - Hazira Road, Adajan, Surat,

Note:- Pl.submit this tender before 03/10/2020 at Zonal Office:-



TENDER FOR THE ELECTRICAL WORK OF VARACHHA - SURAT BRANCH,

GENERAL CONDITIONS

- 1. The Contractor shall sign each page of this tender.
- 2. Payment to the Contractor Agency shall be made as per actual work done at site.
- 3. Quantity of work may increase or decrease at site as per requirement, which shall not affect the rates quoted by the contractor.
- 4. Furnishing works including electrical works etc. shall be done to the complete satisfaction of Bank and Architect-in-charge.
- 5. The rates to be quoted shall include the cost of material, labour charges, carriage, sales tax, or any / all other taxes any required hardware etc.
- 6. The contractor agency shall keep particular vigil on his workers / carpenters / painters etc. to maintain very good workmanship of all items, failing which no payment shall be made and no claim of material / labour used shall be made to him in any case, and the same work shall be executed by him again without charging any extra cost.
- 7. All rates shall be quoted in words & figures & any cutting, over writing shall be signed.
- 8. All items to be executed as per drawings, if any change is required, the same shall be brought to the notice of Architect-in-Charge.
- 9. Any tender / quotation containing clerical or arithmetical mistakes shall be rejected.
- 10. Any addition, alteration or correction shall be signed and stamped properly.
- 11. Contractor agencies are advised (before quoting the rates) to inspect the site of the proposed work. He must go through all drawings and specifications and documents.
- 12. The Bank reserves the right to accept / reject any tender / quotation without assigning any reason. The Bank is not bound to allot the work to L1 contractor.
- 13. Quality of material and workmanship rejected by the Architect / Concerned Authorities shall be removed immediately by the contractor and rectified / replaced.
- 14. No advance payment shall be made to the Contractor on supply of any material supplied at site for execution. Payment shall only be made on execution of any concerned / particular item.
- 15. Bank shall not be responsible for any lose or damage to the contractor/labour due to any natural calamity during the course of construction. Contractor is liable to make good all the damages if any, till the work is completed and handed over to the Bank authorities.



- 16. Any payment to the contractor on account of execution of work, whether it is running payment or final, shall be verified by the Architect-in-Charge.
- 17. Unless, otherwise mentioned all materials to be used shall be I.S.I. marked. Failure to do so, the work may be rejected and in that case contractor shall have to remove the defective materials and replace / re-do the work for which no claim shall be entertained.
- 18. The total work shall be supervised by the Architect-in-Charge and he/she shall be kept fully informed by the contractor regarding the progress of work.
- 19. Bank may award the work in part or whole to a single party or any other party.
- 20. It may please be noted that the Bank is not bound to allot the work to the lowest party. And as such, the allotment of work shall be based on workability of rates quoted by the contractor on account of quality work.
- 21. The bank reserves the right to reject any or all the tenders without assigning any reason whatsoever.
- 22. The earnest money deposited shall not carry any interest and will be refunded to the unsuccessful tenderers.
- 23. Earnest money paid by the contractor shall be forfeited by the Bank if contractor fails to undertake the job if he is communicated about acceptance his rates/tender.
- 24. The contractor shall take all the necessary precautions while working and to safe guard adjacent property, Bank's property, Bank's Employees, and traffic persons.
- 25. All the rates quoted are inclusive of removal of existing wiring, rubbish/ debris collected during the progress of work, rejected materials etc.
- 26. The contractor shall not directly or indirectly sublet the work to other party without written permission of the Bank.
- 27. The quantities mentioned in schedule are provisional and likely to increase/decrease to any extent or may be omitted thus altering the aggregate value of the contract. No claim for loss of profit / business shall be entertained on this account.
- 28. The Bank reserves the right to distribute the work for which quotations have been called, among more than one parties, if found necessary. No claim in this respect shall be considered and the contractor agrees to cooperate with other agencies appointed by the Bank.
- 29. All the workers of the contractor must be properly covered by an insurance policy under "Workman's Compensation act" and "Fatal Accidents Act". The contractor at his own expenses arrange to effect and maintain until the virtual completion of the contract, insurance policy in the joint name of Bank and the contractor against this risk to be retained by the Bank until the virtual completion of the work, and indemnify the Bank from all the liabilities arising out of such events. In case of delay, contractor shall arrange to extend insurance policy till work is completed.



- 30. All the work should be completed within the specified period in the tender. If the work is delayed due to the reasons beyond the control of the contractor, he should keep intimating the Bank explaining, therein the reasons for such delays, immediately and if in the opinion Bank's authorities the delay is justified, the contractor shall be granted extension in time limit.
- 31. The contractor shall furnish well in time before work commence at his own cost, colour samples, samples of materials or workmanship that may be called by Bank's Architect / Engineer for approval. Rates quoted shall cover for such preliminary work.
- 32. The rates quoted by the contractor shall be firm throughout the duration of contract (including extension of time if any granted) and will not be subject to any fluctuation due to variation in cost of material and labour.
- 33. Conditional tenders are liable to be rejected.
- 34. The successful tenderer is bound to carry out any item of work necessary for the completion of the job even those such items are not included in schedule of quantities.
- 35. If in any case of work required to be abandoned, the contractor shall not be entitled for any claims and he will be paid as per the actual work done till that period, if deemed fit.
- 36. Decision of the Bank shall be final and binding on any matter connected with the work. The matter of any dispute shall be decided after mutual discussions based on the terms and conditions of this contract. However, if the matter cannot be resolved then the same shall be referred to the respected qualified person in agreed to both the parties and his opinion shall be binding on both the parties. However, this is precourse to any legal action in this regard.
- 37. If at any stage during the progress of work, it is observed that the contractor is not progressing the work with due diligence, care of lagging much behind the schedule or fails to gear up the work despite instructions from Bank's Architect, the Employer (Bank) reserves the right to terminate the contract with 7 days notice. In such case the contractor shall be liable to pay the Employer any extra cost involved for the completion of the said work and will not obstruct any way in completing the work through other agency. After completion of entire work the contractor shall be paid for the actual work executed by him at the quoted rates after deducting any claims, damages. In case of such termination the security deposit held by the Bank will be forfeited.
- 38. Contractor shall follow all rules / regulations in force and should posses the license for employing labour and also follow all safety measures, labour bye laws and shall be responsible for any lapse.
- 39. At any stage i.e. during the execution of work, any kind of change reqd. whether it is in design or specification, the same has to be in-corporated by the contractor.

CONTRACTOR

ARCHITECT



SPECIFICATIONS / BRANDS / MAKE OF ITEMS FOR ELECTRICAL WORK TO BE USED.

DESCRIPTION BRAND - SFU/MCCB/ Change over switch/DB L&T, Legrand, Hager, MDS, or Equivalent. - Voltmeter/Amp meter AF/I &T - Armoured Cable Gloster/ CCI/Polycab. - PVC Insulated Wires Evershine KDK/Finolex/National./Polycab - Telephone cable Finolex/Evershine KDK/Delton./Polycab - Data cables & I O's D-link. - Modular switch / socket / call Bell North west/Crabtree/Anchor Roma/ L&T Oris. - Light fittings & Lamps Philips/Crompton/Wipro. - Ceiling fan/Wall bracket fan/Exhaust Usha/Crompton/Orient. fan

NOTES & SPECIFICATIONS FOR ELECTRICAL WORKS:

- Contractor must submit Break-ups of wire lengths and verify all lengths. by architect
 in presence of authority before concealing that.
- All the electrical wiring to be Concealed & not to have any wires exposed. Even in the Furniture, the wires to pass through the Electrical conduits.
- Telephone wire to be carried in separate Conduit.
- T. V. cable to be carried in separate conduit.
- Any additional work that needs to be carried out should be requested from the concerned authorities. Any such works done without the previous approval shall not be paid for.
- Contractor to clarify all the works to be done, with the Architect, before commencing the work.
- All the existing switchboards have to be removed and their respective wires/ cables
 to be again placed in new conduit so that it can be accessible / maintained as and
 when required.
- Contractor will be considered responsible for any loss to the Electrical works, during the progress of work. Hence, the Electrical contractor is advised to lies with the Main Contractor (Furnishing Contractor).
- The Electrical Contractor to co-ordinate with the A.C. contractor/supplier for providing the necessary Power supply to the Indoor or Outdoor A.C. unit.
- Contractor have to saddling the cabling above false ceiling.
- Contractor have to submit weekly progress report and photographs by mail. (every week.)
- Contractor have to submit all guaranty / warranty certificates for used items at branch.

NOTE:- Tenderer must have to show samples of all materials before continue the work to architect.

1) Eligibility Criteria: Contractors who fulfill the following requirements are eligible to apply for price bid. The Contractor/ Companies/ Agencies having well established manufacturing facilities in the area of office type electrical works, and who have executed such works are eligible to apply. The tenderer should not have been blacklisted by any organization / institution and should submit a declaration on letter head confirming the same.

SI.	Eligibility Criteria	Documents Required
1	The contractor should be registered Government organizations or Registered in Public sector unit or Public sector Bank's or Financial Institutions of Reputed Corporate companies, MNC's, I companies as a furnishing works contractor.	certificate from respective
2	The Contractor should have minimum of 0 (Five) years' experience in the relevant field a on 31.03.2020.	_
3	Bidder should have a minimum of Rs.3 la annual average turnover during last thre financial years. i.e. 2017-18, 2018-19, 2019-20 from the interior furnishing related business.	account for the years mentioned and turnover certificate from the
4	The Tenderer should have executed any of the following work in a single contract during the last Seven (5) years ending with 31.03.2020 for at least,	e certificates from clients clearly
	One (1) similar work costing Rs.2.15 (80% of estimated cost) LAKHS OR Two (2) similar works each costing Rs.1.5 (50% of estimated cost) LAKHS OR Three (3) similar works each costing Rs. 1.0 (40% of estimated cost) LAKHS	certificates, split up details certified by the client/ project consultant is to be enclosed.
	Similar works means interior electrical works for Exclusions: Other works (like electrical work, find HVAC, networking, supply of all type of chairs 8 etc.)	ixture supply, curtains, supply, CCTV,
5		Copy of the GST registration certificate and copy of PAN card.
6	representative office in Gujarat for	Details of organization chart proposed for this project. Copies of the registration certificate and PAN card copy shall be enclosed.



have to submit proof for that with bid	
(company registration,).	
	4, 46,47

- 2) Nature of the document: TWO BID CONCEPT. This Tender document comprises of the following :
 - A. TECHNICAL BID: (first envelope) consisting of following should be hardbound/spiral bound and submitted as below in a separate envelope
 - a) EMD in form of DD in favor of UCO Bank payable at Surat Earnest Money Deposit
 - b) Tender Fees in form of DD in favor of Sarjan Architects & Project Consultants payable at Surat Earnest Money Deposit
 - c) Notice inviting tender (NIT) with each page have seal and signature.
 - d) Eligibility Documents
 - B. <u>B.FINANCIAL BID</u> (second envelope): Schedule of quantity (SOQ). Financial bid should be hardbound / spiral bound and submitted in separate envelop as indicated "Price Bid " Do not open before 03-10-2020

Third envelop contains these both technical and financial bid.

QUANTITIES FOR THE ELECTRICAL WORK AT UCO BANK, VARACHHA BRANCH,

	ESTIMATE FOR ELECTRICAL WORK AT UCO BAN	K VARA	СННА ВІ	RANCH -	
	ESTIMATION OF ELECTRICAL WORK FOR UC				
Sr. No.	DESCRIPTION	QTY	UNIT	RATE	AMOUN
	NOTE: ALL CHARIS OR CHASES IN WALLS / COLUMNS / SLABS MADE BY THE ELECTRICAL CONTRACTOR FOR INSTALLATION OF CONDUITS / S.B. / BOXES ETC. THE FILLING OF THE SAME IS IN THE SCOPE OF THE ELECTRICAL CONTRACTOR INCLUDING ALL NECESSITY MATERIAL AND LABOUR.				
A	INTERNAL WIRING:				
1	P and M point wiring in concealed in walls, furniture's & for above false ceiling, or on ceiling, on beams shall be fixed with saddles & spacers etc., with conduits taken in slab with 20 mm dia PVC Rigid conduits 1.5 mm thick ISI mark with 2 nos. of 1 sqmm. COPPER wire of Polycab make with modular switch of Anchor Roma/HAVELS CRABTREE make with flush metal box/surface PVC box etc. complete. These will be used with point wiring of light, fan, callbell points, etc.				
a)	One 5A switch controling one light point	32	nos		
B)	One 5A switch controling two light point	10	nos		
b)	One 5A switch controling fan point with step fan regulator	2	nos		
4)	5A socket outlet with 5A switch (on common bord)	8	nos		
F)	Call bell point with bell push complete.	1	nos		



g	Sign board point with 24hours, 7day timer.	1	nos	
2	SITC of 5/15 Amp. Switch and socket complet power point of Anchor Roma make with concealer matalic box in wall/furniture to the satisfaction of E.I.C.	4	nos	
3	SITC of 20 A, 230 V, with SP MCB all enclosed in a prefabricated M S boxes complete to the satisfaction of E.I.C. For SPLIT AC unit with metalclad top and socket		nos	
В)	Using 2 x 4 sq.mm wire and 1 x 1.5 sq.mm earth wire of green colour for A/C / Kitchen Plug / Washing machine etc.	100	MTR	
C)	Using 2 x 2.5 sq.mm wire and 1 x 1sq.mm earth wire of green colour for Plug Point. (DB TO S.BOARD)	280	MTR	
В	LIGHTING FIXTURES: (NOTE: ANY OF FIXTURES AND FITINGS SHALL BE RE-CONFIRMED WITH THE ARCHITECTS / CONSULANTS BEFOTE ORDERING THEM.			
1	Supply, installation, testing and commissioning (including supply and fixing flexible wires from holder to fixtures hardwares etc.) of			
a)	LED Down lights 18 w (6"dia) fixture wallmount with LED to be recessed in false ceiling with all necessary hardwares, chains, hook etc. complete. (Make, Crompoton LSDRM-18-cdl-18 watt	18	nos	
))	Suppling, installing and testing of 15.2 W LED downligher fitting luminaire flux 1214IM classfication according to CI 100 THD<10% 140-270v 50 HZ 2 KV 2 years Guarantee Power Factor more than 0.9, THD < 10 %, CCT 6500K, Uniformity ratio >0.7, Luminaire efficiency> 85 lumens/watt, LED driver efficiency > 85 % As given make LED used for luminaire. (Each fitting required Certificates) ((c) 15.2 Watts,	14	nos	
	Compact Fluorsent tube light 1 x 11 W Surface mounting type with tube, roter, bi - pin holders, starter, choke, complete. (Wipro make Cat. No. WRP 21111 or Equivalent Philips make)	4	nos	
	1 x 40 W fluorescent tube slim tube light fixture with tube complete (CG / Wipro make) (use of existing tubelights.)	3	nos	
1	Exhaust fan, fresh air ventilator type with louver complete (Crompton / Bajaj make)	2	nos	
1	L200 mm sweep ceiling mounted fan (Crompton / Bajaj/Havells make). (use of existing fan)	2	nos.	1

	400 mm sweep wall mounted fan (Crompton / Baj make).	7	n	os.		
C	- TOTAL BOARD AND PANELS:					
1	Supply, installing, testing and commissioning of metallic double door type distribution board with a necessary connection complete to be installe concealed in wall / surface mount complete to the satisfaction of the Engineer in charge HAVELLS/HEGER	d e				
a)	12-WAY SPN DB :(AC)					
	incoming : 32/63A FP MCB	1	no	os		
	outgoing : 6 to 32 A DP MCB					
)	16 WAY SPN DB: (Lighting)					
1	incoming : 63A FP MCB	1	no	S		
	outgoing : 20 A SP MCB					
	16 WAY COM					
)	16 WAY SPN DB : (UPS)	1	nos	5		
	incoming : 63A DP MCB outgoing : 6 to 16 A SP MCB					
	S S S S S NICB					
	4 WAY SPN DB: (UPS IN)	1	-			
-	incoming: 63A FP MCB	-	nos			
	Supply, installation, testing and commissioning of Main panels as per drawing and specifications. Panel should be dust and vermin proof. Panel shall be fabricated from 14/16 SWG CRCA sheet metal duly powder coated of approved paints.					*
	MAIN PANEL:	1				
	160 A TPN SFU (1 No.) as Incoming	1	nos			
, k	* 100 A, FP Change over switch (1 No.) * 200 AMP. 500 Volts, 3 phase 50 Hz FP Copper bus pars of suitable length - Current ratio shall be 1 sq mm = 1.2 A Ammeter and Voltmeter with selector switches					
k r	Ammeter and Voltmeter with selector switches, control fuses digital type meter C.T. shall be of 15VA					
, , , , , , , , , , , , , , , , , , ,	Dars of suitable length - Current ratio shall be 1 sq mm = 1.2 A Ammeter and Voltmeter with selector switches, control fuses digital type meterC.T. shall be of 15VA class 1 type and shall be resin cast type Phase indicator lamps LED phase wise					
* c c c * *	Ammeter and Voltmeter with selector switches, control fuses digital type meter C.T. shall be of 15VA class 1 type and shall be resin cast type Phase indicator lamps LED phase wise. Outgoing feeder: 25 A DP MCBS (1 no - SERVER AC)					
* * Ti S m 23	Dars of suitable length - Current ratio shall be 1 sq mm = 1.2 A Ammeter and Voltmeter with selector switches, control fuses digital type meterC.T. shall be of 15VA class 1 type and shall be resin cast type Phase indicator lamps LED phase wise					

	* 63 A FP MCB (1 NO - ACDB)	I .	1	1	
	* 63 A FP MCB (1 NO - LDB)				
	* 63 A FP MCB (1 NO - UPSDB)				
	* 63 A FP MCB (1 NO - SPARE)				
D	EARTHING SYSTEM:				
1	Providing and making Earthing Pit with all necessary matterial and making masonry kundi, watering arrangment etc complete as per ISI 3043-1987.				
a)	600 x600 x6 mm thick G.I. Plate type.				
b)	600 x 600 x 3 mm thick CU. Plate type.	1	nos		
	The truck co. Flate type.	1	nos		
2	Supply, laying and jointing of following wire / strip / earth cable on walls, ceiling etc. With necessary non rusting clamps, washers, nuts and bolts etc complete				
a)	8 SWG G.I Wire	55	Rmt		
b)	8 SWG CU Wire	40	Rmt		
	day.	10	MIL		
F	TELEPHONE SYSTEM:				
1	Supply and installing telephone point with Telephone socket outlets RJ 11 of Anchor Roma make with company made concealed boxes in walls / furniture's etc. complete.	7	nos		
2	Providing, installing, testing, commissioning of 4 pair of 0.51 cross section pvc insulated copper conductor telephone wire of ITI approved with 20/25 dia. PVC conduits with accessories duly burried under floor with necessary chasing / breaking in floor and to be refinished with all necessary civil material etc. or to be cleated on wall / ceiling with saddles / spacer etc. necessary termination etc. with ferrule numbering at both ends of each piece of cable complete.	100	mtr		
	LAN SYSTEM (STRUCTURED CABLING):				
	Supply, installation, testing and commissioning of CAT 6, RJ 45 information outlet (I/O) of D-link make with front modular cover plate, flush box metallic or PVC for data system etc. complete as per the requirement	10	nos		



2	Providing, installing, testing, commissioning of CAT 6 UTP pvc insulated copper conductor data cable of D-link make with 20/25 dia. PVC conduits with accessories duly burried under floor with necessary chasing / breaking in floor and to be refinished with all necessary civil material etc. or to be cleated on wall / ceiling with saddles / spacer etc. necessary termination etc. with ferrule numbering at both ends of each of piece of cable etc. complete as per the requirement		mtr	
3	Installing testing and commissioning of 9U metal rack for computer clamping switch etc. complete with tray mounting fan	1	nos	
4	Supply, Installation, testing and commissioning of 24 port switch complete	1	nos	
Н	MISC.			
2	SITC of 150A FP MCCB complete with powder coated metal enclosure complete to the satisfactory of E.I.C.	1	nos	
1-)	FIRE ALARM CIRCUIT & SMOCK DETECTOR			
1	FIRE ALARM PANEL 2 ZONE RAVEL COMPANY	1	NOS	
2	12 VOLT BATTERY INBUIT IN PANEL	2	NOS	
3	SMOCK DETECTOR	2	NOS	
4	HOOTER FOR SOUND	2	NOS	
5	1SQ MM ALLUMINIUM ARMOURED 2 CORE Cable	30	MTR	
	TOTAL AMOUNT (A)			

Address of contractor

Signature of contractor









