



सम्मान आपके विश्वास का

Honours your trust

HO/GAD/ 2971 /2022-23

Date: 17.11.2022



#### **UCO BANK**

Head Office, General Administration Department 2<sup>nd</sup> Floor,10 BTM Satani,Kolkata-700001 Email: hogad.calcutta@ucobank.co.in Phone: 033-44557383/8099 Website http://www.ucobank.com

RFP for Supply and Installation of Furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata

PART-I (Technical Bid)

The information provided by the bidders in response to this RFP Document will become the property of the Bank and will not be returned. The Bank reserves the right to amend, rescind or reissue this RFP Document and all amendments will be advised to the bidders and such amendments will be binding on them. The Bank also reserves its right to accept or reject any or all the responses to this RFP Document without assigning any reason whatsoever.

This document is prepared by UCO Bank for Supply and Installation of Furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata. It should not be reused or copied or used either partially or fully in any form.







#### Honours your trust

#### **INDEX**

SI.No.	Particulars	Page No.
1	Notice Inviting Tender	3-8
2	Eligibility Criteria	9
3	Evaluation Criteria	10
4	REJECTION OF BID:	11
5	Scope of work	12-13
6	GENERAL TERMS & CONDITIONS	14-24
7	ANNEXURE-I(FORMAT OF BANK GUARANTEE)	25-26
8	ANNEXURE-II(DRAFT AGREEMENT)	27-34
9	ANNEXURE -III(APPLICATION FORMAT)	35-37
10	ANNEXURE-IV ( OEM DECLARATION FORM)	38
11	ANNEXURE-V( FORMAT OF INTEGRITY)	39-43
12	ANNEXURE-VI(DRAFT INDEMNITY)	44-45
13	ANNEXURE-VII (TECHNICAL COMPLIANCE STATEMENT)	46
14	PRICE SCHEDULE-BOQ - ANNEXURE-VIII	47-66



#### सम्मान आपके विश्वास का

Honours your trust

#### Disclaimer

While the document has been prepared in good faith, no representation or warranty, express or implied, is or will be made, and no responsibility or liability will be accepted by UCO BANK or any of its employees, in relation to the accuracy or completeness of this document and any liability thereof expressly disclaimed. The RFP is not an offer by UCO BANK, but an invitation for bidder's responses. No contractual obligation on behalf of UCO BANK, whatsoever, shall arise from the offer process unless and until a formal contract is signed and executed by duly authorized officials of UCO BANK and the selected Bidder.


#### **Notice Inviting Tender**

A) UCO Bank invites sealed tender offers (technical and commercial offer) from reputed vendors dealing with furnitures towards Supply and Installation of furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata.

The bidder (also called the vendor or bidder through this document) appointed under the e-Tender document shall own the single point responsibility for fulfilling all obligations and providing all deliverables and services required for successful implementation of the project.

D.	\ C~	م نا	mŧ		uro.
D	) Sal	IIE	111	rea	IUIE

b) Salient reature				
Tender Reference	HO/GAD/2971 /2022-23 dated 17/11/2022			
Name of the work	Supply and Installation of furnitures at newly constructed			
	Executive Training Centre Building at Newtown, Kolkata			
Estimated Cost	Rs.44.00 Lakhs plus GST as per applicable rate			
Cost of Tender Documents	Rs. 1800.00 (Rupees One Thousand Eight Hundred only) (Non			
	refundable).Not Applicable for MSME(Document related			
	MSME to be furnished Under Part-I). The tender document to			
	be downloaded from Bank's website www.ucobank.com.			
	Cost of Tender Document is to be submitted with Technical			
	Bid (Part-I of tender documents) in the form of Pay			
	Order/Demand Draft in favour of UCO Bank, payable at			
	Kolkata.			
EMD	<b>EMD:</b> a) EMD of Rs.44,000/- (Rupees Forty Four Thousand			
	Only)must be submitted with Technical Bid (Part-I) in the form			
	of pay order /demand draft in favour of UCO Bank, payable			
	at Kolkata . Not Applicable for MSME(Document related MSME			
	to be furnished Under Part-I).			
	b) EMD of unsucessful bidders will be released (without any			
	interest) against their request letter after acceptance of L.O.I			
	by the identified bidders .			
	,			
	c) EMD of L-1 bidders will be released (without any interest)			
	after submission of Performance Bank Guarantee.			
	d) However, if Successful tenderer withdraws their			
	acceptance of our L.O.I before submission of Performance			
	Bank Guarantee, UCO Bank will have the right to forfeit the			





#### सम्मान आपके विश्वास का

#### Honours your trust

	Earnest Money Deposit without making reference .
	Lamos Money Boposii Willion Haking leference .
Advertisement in News Papers and Bank's website on	19/11/2022
Pre Bid Meeting	Pre Bid Meeting will be held on 25/11/2022 at 15.00 hours in UCO Bank, GAD, Head Office at 2 <sup>nd</sup> Floor,10 BTM Sarani, Kolkata-700001 where issues relating to the tender will be discussed and clarifications, if any, will be furnished. Bidders are requested to attend the pre-bid meeting at their cost.The decision taken on Pre Bid meeting will be uploaded in Bank's website in form of corregendum which will be the part of tender document.
Last Date & Time for Submission of Tender	Bids can be submitted online before 02/12/2022 upto 14:30 pm at e-Tender website <a href="www.tenderwizard.in/UCOBANK">www.tenderwizard.in/UCOBANK</a> .  Off line original hard copy of Part-I of tender document to be
	submitted by 02/12/2022 upto 16:00 PM at UCO Bank, GAD, Head Office at 2 <sup>nd</sup> Floor,10 BTM sarani, Kolkata-700001
Date and Time of Opening	03/12/2022 at 15:30 PM at UCO Bank, GAD, Head Office at
Technical Bid i.e Part-I  Date of Opening of Financial	2 <sup>nd</sup> Floor,10 BTM sarani, Kolkata-700001  Financial Bid(Part-II of tender) of those vendors who will be
Bid	qualified against Part-I of Tender, will be opened at a later date and the same will be communicated to all eligible vendors .
Address of Communication	UCO Bank, Head Office
	Head Office General Department
	2 <sup>nd</sup> Floor,10 B.T.M. Sarani
	Kolkata-700 001
Email address	hogad.calcutta@ucobank.co.in
Contact Telephone/Fax Numbers	Tel :033-4455-8099/7383
Bids to be submitted	Tender box placed at above address
Bids to be submitted	e-bidding on www.tenderwizard.in/UCOBANK
Process to be followed	This Tender will follow e-Tendering process [e-bids] as under which will be conducted by Bank's authorized e- Tendering Service Provider M/s Antares Systems Ltd through the website
	www.tenderwizard.in/UCOBANK
	Following activities will be conducted online
	through above website:



#### सम्मान आपके विश्वास का

#### Honours your trust

\_\_\_\_\_

Submission of Technical Bid & Price Bid by the Vendor

- a) Opening of Technical Bid & Price Bid by the Bank
- b) Clarification, if any, sought by the
- c) Bank
- d) On-line evaluation by the Bank.

Representatives of Vendors will be given training for e-Tendering by the Service Provider namely M/s Antares Systems Ltd.

Bidders who wish to participate in online tenders will have to register with the website

(<u>https://www.tenderwizard.com/UCOBANK</u> through the "**Register**" link provided on the home page.

Bidder will create login id & password on their own in registration process.


Following facilities shall be provided to the bidders /

vendors by service provider M/s Antares Systems Ltd:

- a) Support to the Bidders for participating in the bids through e-tendering Website.
- b) Call center support/email/phone/mobile etc.
- c) Registration with the e-tendering website. User Manual / Training Kit to the Bidder.
- d) Any no. of users of Vendor/Bidder organization can take support on the e-tendering system.
- e) Bidder who wish to participate in this tender need to procure Digital Signature Certificate (for Signing and Encryption) as per Information Technology Act-2000 and CVC guidelines using that they can digitally sign their electronic bids. Bidders can procure the same from any of the CCA approved certifying agencies, or they may contact with M/s Antares Systems Ltd. at below mentioned address and they will assist them in procuring the same. Bidders who already have a valid Digital Signature Certificate need not to procure the same.

In case bidders need any clarification regarding online participation, they can contact

Antares Systems Ltd.
Registered Office at: #24, Sudha Complex, 3rd Stage, 4th





#### सम्मान आपके विश्वास का


Honours your trust

Block, Bangalore – 560079. Ph: - 080-49352000 / 40482000 Fax: - 080-49352034  Help Desk: 9073677150/ 151 / 152 / 9674758506 / 9674758723 / 26  Contact Person: Mr. Kushal Bose/ Mr. Siddhartha Sundar Mondal - Mobile no. 07686913157 / 09674758723 (On working days-0900 hours-1800 hours) e-mail: kushal.b@antaressystems.com : siddharthasundar.m@antaressystems.com Bidders who wish to participate in e-Tender need to fill data in predefined forms of RFP, Technical, Financial Bid available in respective tender only.  Bidder should upload scanned copies of reference documents in support of their eligibility of the bid and as per
Help Desk: 9073677150/151/152/9674758506/9674758723/26  Contact Person: Mr. Kushal Bose/ Mr. Siddhartha Sundar Mondal - Mobile no. 07686913157/09674758723 (On working days-0900 hours-1800 hours) e-mail: kushal.b@antaressystems.com : siddharthasundar.m@antaressystems.com Bidders who wish to participate in e-Tender need to fill data in predefined forms of RFP, Technical, Financial Bid available in respective tender only.  Bidder should upload scanned copies of reference
Contact Person: Mr. Kushal Bose/ Mr. Siddhartha Sundar Mondal - Mobile no. 07686913157 / 09674758723 (On working days-0900 hours-1800 hours) e-mail: kushal.b@antaressystems.com : siddharthasundar.m@antaressystems.com Bidders who wish to participate in e-Tender need to fill data in predefined forms of RFP, Technical, Financial Bid available in respective tender only.  Bidder should upload scanned copies of reference
Contact Person: Mr. Kushal Bose/ Mr. Siddhartha Sundar Mondal - Mobile no. 07686913157 / 09674758723 (On working days-0900 hours-1800 hours) e-mail: kushal.b@antaressystems.com : siddharthasundar.m@antaressystems.com Bidders who wish to participate in e-Tender need to fill data in predefined forms of RFP, Technical, Financial Bid available in respective tender only.  Bidder should upload scanned copies of reference
Mondal - Mobile no. 07686913157 / 09674758723  (On working days-0900 hours-1800 hours) e-mail: kushal.b@antaressystems.com  : siddharthasundar.m@antaressystems.com  Bidders who wish to participate in e-Tender need to fill data in predefined forms of RFP, Technical, Financial Bid available in respective tender only.  Bidder should upload scanned copies of reference
·
the instructions given in tender documents
After filling data in predefined forms bidders need to click on final submission link to submit their encrypted bid.
Date of Opening of Financial Financial Bid(Part-II of tender) of those vendors who will be qualified against Part-I of Tender, will be opened at a later date and the same will be communicated to all eligible vendors .
Submission of Bids  Bid must be submitted in <u>Two Bid System</u>
Mode of submission of Tender:  (a) Online submission-(To be scanned and uploaded in our e-tender website.).
(b) Off line-Hard Copy Submission
Validity of Tenders 90 (Ninety) days from the date of opening.

#### C) Documents required with the prescribed form:

#### (c) Online submission-(To be scanned and uploaded in our e-tender website.):

- (i) True/Certified copy of PAN card, GST Regn. Certificate, Trade License.
- (ii) True/Certified Copies of audited balance sheet & Profit and Loss a/c for the last three financial years i.e for 2018-19, 2019-20 and 2020-21.
- (iii) True/Certified copy of Experience Certificate/work order
- (iv) Documentary evidence related to register office at Kolkata





#### सम्मान आपके विश्वास का

#### Honours your trust

- (v) Demand Draft of Tender cost and EMD/Document related MSME to be furnished Under Part-I(if case non submission of EMD &Tender Cost), Pre Contract Integrity Pact, are to be also uploaded.
- (vi) OEM Declaration form as per Annexure-IV.
- (vii) Bidder should also submit Price bid with the RFP document. Price bid should comprise of duly signed to be uploaded in e-tender website.

#### (d)Off line-Hard Copy Submission

The envelope containing Part-I of tender should be super scribed clearly "Part-I (Technical Bid)" and the name of work and will be addressed to 'The Asst. General Manager (GA), UCO Bank, General Administration Deptt,2<sup>nd</sup> Floor,10 BTM Sarani. Kolkata-700001' and must be submitted **on or before the stipulated date & time of submission of tender.** 


Contents of the Off line-Hard Copy for Technical Bid(Part-I) to be submitted:

- a. Original Demand Draft of Tender Cost and EMD (Not Applicable for MSME(Document related MSME to be furnished Under Part-I)
- **b**. Bidder's Covering letter
- c. Application Format as stipulated in RFP, (Annexure-III)
- d. Documents in support of all eligibility criteria
- e. Technical Compliance Statement and model quoted as per Annexure-VII
- **f.** Technical Documentation (Product Brochures, leaflets, manuals, drawings). An index of technical documentation submitted with the offer must be enclosed.
- g. OEM Declaration form as per Annexure-IV.
- **h**. All pages of this RFP as downloaded from the website duly signed by the authorized representative of the company on all pages including all Annexures.

i.Duly filled up integrity Pact as per Bank's format

#### D) Miscellaneous Items:

- 1) All the information relating to corrigendum if any, result of pre-bid meeting, selection of bidders to participate in Price Bid, name of L-1 bidders etc. will be uploaded in Bank's website which may please be noted. No separate newspaper notification will be issued in this regard.
- 2) Vendor's representatives will be allowed to be present during opening of bids at their cost.
- **3)** In case date of pre-bid meeting, last date of receipt or opening of tender are declared as holiday, the respective date shall be treated as deferred and will be rescheduled to next working day correspondingly.
- 4) It may be noted that the requirement given in this RFP is indicative only.






#### सम्मान आपके विश्वास का

Honours your trust

- 5) Tenders/offers through email will not be accepted.
- 5) Bank reserve the authority to accept or cancel any or all tenders without assigning any reason.
- **6)** All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect or there is any correction in Price Bid is not duly signed and dated by the bidder are liable to be rejected.

Astt. General Manager, Head Office -GAD UCO Bank, Kolkata

# UCO BANK








#### सम्मान आपके विश्वास का

Honours your trust

#### **Eligibility Criteria**

- i) The bidder must be a Firm/Company/Govt Deptt having valid Trade license issued by the Local Body, authorized to issue such certificate.
- **ii)** The bidder must have a minimum Annual turnover of twice of estimated yearly expenditure (given in page-3) for the last three financial years ending 31.03.2021. Certificate of audited balance sheet for last three years must be enclosed. **Vendor should be a profitable organization**
- iii) The bidder must be registered under GST.
- iv) The bidder should have PAN.
- **v)** The bidder must have experience in executing the similar work as under at Public Sector Banks/RBI/Govt Organizations/PSU/Reputed Private Organization:
- a. Three similar completed works each costing not less than the amount equal to 40% of the estimated cost within seven years ending last day of the month previous to the one in which applications are invited in execution of similar works. **or**
- b. Two similar completed works each costing not less than the amount equal to 50% of the estimated cost within seven years ending last day of the month previous to the one in which applications are invited in execution of similar works.
- c. One similar completed work costing not less than the amount equal to 80% of the estimated cost within seven years ending last day of the month previous to the one in which applications are invited in execution of similar works.
- **vi)** The bidder should have well equipped registered Service Centre at Kolkata i.e 30 KM from UCO Bank Head Office.







सम्मान आपके विश्वास का

Honours your trust

#### **Evaluation Criteria**

1) Lowest Bid Value will be evaluated on lowest price offered by the bidder against Price Bid (e-Price Bid) subject to fulfillment of all the criteria as stipulated in RFP.

# UCO BANK






#### Honours your trust

\_\_\_\_\_

#### **REJECTION OF BID:**

The bid is liable to be rejected summarily if:

- Tenders are not received in two parts in separate envelopes.
- •It is not in conformity with the instruction mentioned in this tender document.
- If it is not accompanied by requisite tender cost and EMD as stated above.
- It is received after expiry of the due date and /or time.
- It is evasive and contains incorrect information.
- •If there is canvassing of any kind.
- •It is submitted anywhere other than the tender box or to the addressee.
- •If any indication of price/rate/charges is being found in Part-I of the tender.
- If the tender/R.F.P is conditional.
- If there is any conflict of Interest between Bank and Tenderer at any stage.





#### सम्मान आपके विश्वास का

Honours your trust

#### Scope of work:


The work consists of Supply and Installation of furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata. Details of BOQ for supply and Installation of furnitures are mentioned in Annexure-VIII. If any detail essential for efficient completion of the work be omitted from the specification it shall be the responsibility of the contractor to inform the Bank /consultants, so that upon completion of the proposed work the same will be acceptable and ready for use and purpose of proposed supply and installation of furniture work will not be defeated.

Bank has its own discretion to issue further written instructions, details, directions and explanations which are hereafter collectively referred to as the Bank instructions in regard to:

A: The variation on modification of the quality or quantity of work or the addition or omission or substitution of any work:

- B: Any discrepancy between the schedule of quantities and or specification.
- C: The removal from the site of any defective material brought thereon by the contractor and the substitution of any other material thereof.
- D: The demolition removal and /or rejection of any work executed by the contractor /s
- E: The dismissal from the work of any persons employed thereupon.
- F: The opening up for inspection of any work covered up.
- G: The rectification and making good of any defects under clauses hereinafter mentioned and those arising during the defect liability period.

The contractor shall forthwith comply with at their cost and duly execute any work comprised in such Bank instructions, provided that verbal instructions, directions and explanations given to the contractor or his representative upon the work by the Bank shall, if involving a variation, be confirmed in writing to the contractor within seven days. No work for which rates are not specifically mentioned in the priced Schedule of quantities shall be taken up without written permission of the Bank. In case any extra item of work other than the items quoted OR additional quantity of the items quoted, crops up during the execution of work, prior approval for execution of such work and the amount involved therein should be obtained well in advance from







सम्मान आपके विश्वास का

Honours your trust

General Administration Department, Head Office, UCO Bank, upon submission of proper justification for the extra item of work / additional quantities of work. Any extra work / additional quantities carried out without obtaining such prior approval will be at the risk of the Contractor. For any technical assistance / inquiry contact Mr. Pathikrit Chakraborti, Manager (Engineer), UCO Bank' (M: 9703685058)

**WARRANTY:** Warranty will be two years from the date of Installation of furnitures.









#### सम्मान आपके विश्वास का Honours your trust

\_\_\_\_\_


#### **GENERAL TERMS & CONDITIONS**

#### 1 .Price and Taxes:

i) The price shall be firm and binding without any escalation throught the contract period i.e(Till Completion of Work). The prices (in Indian Rupees) should indicate All inclusive Price of the furniture [i.e. basic price, transportation, insurance (to cover equipment during the transit, installation at site and handing it over to the Bank), Duties, installation charges, comprehensive on site warranty of one year covering all parts, consumables, labour etc. ] GST should be shown separately. If the Bidders fails to include them in the tender, no claim thereof will be considered by the Bank afterwards.

#### ii) Additional Terms & Condition on GST are as follows:

- Supplier/service provider to confirm that the GST amount charged in invoice is declared in its returns and payment of taxes is also made.
- The Supplier/ Service Provider agrees to comply with all applicable GST laws, including GST acts, rules, regulations, procedures, circulars & instructions there under applicable in India from time to time and to ensure that such compliance is done within the time prescribed under such laws. Supplier/Service Provider should ensure that accurate transaction details, as required by GST laws, are timely uploaded in GSTN¹. In case there is any mismatch between the details so uploaded in GSTN by Supplier/ Service Provider and details available with UCO Bank, then payments to Supplier/Service Provider to the extent of GST relating to the invoices/s under mismatch may be retained from due payments till such time the accurate tax amount is finally reflected in the GSTN to UCO Bank's Account and is finally available to UCO Bank in terms of GST laws and that the credit of GST so taken by UCO Bank is not required to be reversed at a later date along with applicable interest.
- UCO Bank has the right to recover monetary loss including interest and penalty suffered by it due to any non-compliance of tax laws by the supplier/service provider. Any loss of input tax credit to UCO Bank for the fault of supplier shall be recovered by UCO Bank by way of adjustment in the consideration payable or otherwise.





#### सम्मान आपके विश्वास का

Honours your trust

Supplementary invoices/debit note/credit note for price revisions to enable UCO
 Bank to claim tax benefit on the same shall be issued by Vendor for a particular year before September of the succeeding financial year.

The purchase order/ work order shall be void, if at any point of time Vendor are found be to a black listed dealer as per GSTN rating system and further no payment shall be entertained.

#### 2. Placement of Order/Letter Of Indent(LOI):


Bank will issue the LOI as per requirement accordingly with details terms & conditions.

**3. Terms of Payment :** Bank will not pay any advance. Final payment will be released against Vendor's bill after satisfactory supply and installation of the full quantity, subject to compliance of terms of contract by the contractor and statutory deductions as per Rule. Interim payment will be released after delivery of all Furnitures at site. Minimum value of works for claiming interim payment will be Rs.22.00 Lakhs considering delivery of materials at site upon production of proper documentary evidence. No payment shall be made until the Bank Guarantee is furnished.

#### 4.a. Performance Bank Guarantee:

Successful Bidders will have to submit a performance Bank Guarantee equivalent to 3% of work order value prior to or at the time of execution of the Agreement which will be valid till completion of the work in all respects for due performance of the contract, with a claim period of further three months. The Bank Guarantee to be issued by any Nationalized Bank or any scheduled commercial Bank banking in India other than UCO Bank or its subsidiary, as per enclosed format in Annexure-1. Any defect in the work or operational service, arising out during the period and not attended by the contractor within two days from the date of reporting the defect, will be rectified by the Bank through some other agency and the cost thereof will be recovered from the company and or by invoking the B.G. Bank has the right to invoke the BG for any non-compliance of the terms & conditions of this RFP or the Contract to be executed between the selected bidder and the Bank at any point of time without prejudice to its other rights and remedies available under the Contract and/or the Law (s) for the time being in force.

**5. Execution of Agreement:** The successful bidders will have to execute an Agreement with **Bank** in non-judicial stamp paper of requisite value purchased in favour of the vendor or UCO Bank and duly notarized as per the draft of Agreement as per **Annexure-II**.





#### सम्मान आपके विश्वास का

Honours your trust

6. INTEGRITY: Integrity Pact(IP) as per Bank's format as per Annexure-V on Non-Judicial Stamp Paper of appropriate value has to be submit under Part-I(Technical Bid) of Tender documents.


Integrity Pact, in respect of a particular contract, shall be operative from the date Integrity Pact is signed by both the parties till the final completion of the contract. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings. Integrity Pact shall cover all phases of contract i.e. from the stage of Notice Inviting Tenders (NIT)/Request for Proposals (RFP) till the conclusion of the contract i.e. final payment or the duration of warrantee/guarantee. Format of Integrity Pact is attached as Annexure for strict compliance.

Each and Every bidder has to execute pre contract integrity pact as per Bank's format as per (Annexure-V) on non-judicial stamp paper of appropriate value. Scanned copy of pre contract integrity pact must be uploaded in our e-tender website.

- 7 **INDEMNITY:** The Vendor / bidder agrees to indemnify and keep indemnified, defend and hold harmless the Bank and its officers, directors, employees and agents from and against any and all losses, liabilities, claims, obligations, costs, expenses (including, litigation cost, reasonable attorneys fees), arising before or after completion of Supply and installation of furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata, which result from, arise in connection with or are related in any way to claims by third parties arising out of or in connection with
  - The Vendor's / bidder's breach of any of the terms and conditions, representations, warranties specified in the Agreement/Contract; infringement of Intellectual Property Rights of the Bank; acts or omissions of, negligence, or misconduct by the Vendor/bidder; or its professionals, representatives, agents, security analysts, consultants and advisors;
  - For the purpose of the Agreement, the vendor / bidder shall include the vendor / bidder, its personnel, employees, consultants, and / or other authorized persons.
  - In no event shall the vendor/bidder be liable for claims arising from or in connection with the sole negligence or misconduct of the party seeking indemnification.
  - The responsibility to indemnify set forth in this Clause shall survive the termination of this Agreement for any reason with regard to any indemnity claims arising in relation to the performance hereof.
  - The selected vendor/bidder has to furnish a letter of undertaking cum indemnity in Bank's favour as per the format to be supplied by the Bank at the time of execution of the Agreement.

The Bidders shall also indemnify Bank against all third party claims of infringement of patent, trademark or industrial design rights arising from use of the Goods/services, Software package or any part thereof in India and abroad.

In the event of any claim asserted by the third party of infringement of copyright, patent, trademark or industrial design rights arising from the use of the Goods/services or any part thereof in India, the Bidder shall act expeditiously to extinguish such claims. If the Bidder fails to comply and Bank is required to pay compensation to a third party resulting from such infringement, the Bidder shall be responsible for the compensation including





#### सम्मान आपके विश्वास का

Honours your trust

all expenses, court costs and lawyer fees. Bank will give notice to the Bidder of such claims, if it is made, without delay by fax/e-mail/registered post. Draft format given in Annexure-VI

**8.Taxes and Duties:** The bidder will be entirely responsible to pay all taxes whatsoever in connection with delivery of the services at the sites including incidental services. Wherever the laws and regulations require deduction of such taxes at the source of payment, Bank shall effect such deductions from the payment due to the vendor. The remittance details of amount so deducted and issue of certificate for such deductions shall be made by Bank as per the laws and regulations in force.

Nothing in the contract shall relieve the vendor from his responsibility to pay any tax that may be levied in India/abroad on income and profits made by the vendor in respect of this contract.

**9.AUTHORIZED SIGNATORY**: The selected bidder shall indicate the authorized signatories who can discuss and correspond with BANK, with regard to the obligations under the contract. The selected bidder shall submit at the time of signing the contract a certified copy of the resolution of their board, authenticated by the company secretary, authorizing an official or officials of the bidder to discuss, sign agreements/contracts with BANK, raise invoice and accept payments and also to correspond. The bidder shall provide proof of signature identification for the above purposes as required by BANK.


**10.CLARIFICATIONS ON AND AMENDMENTS TO RFP DOCUMENT:** Prospective bidders may seek clarification on the RFP document by letter/fax/e-mail till the date and time mentioned in this RFP. Further, at least 7 days prior to the last date for bid-submission, the Bank may, for any reason, whether at its own initiative or in response to clarification(s) sought from prospective bidders, modify the RFP contents by amendment. Clarification /Amendment, if any, will be notified on Bank's website and such notification shall be deemed to be sufficient notice to all. No individual communication will be sent to any bidder in this regard. On the issue of any such notice regarding modification of contents of RFP, this RFP shall be read as if such modification were part of the original RFP.

**11.LIQUIDATED DAMAGE:** In case of failure to complete the work within the stipulated period of time by fault of the successful vendors, liquidated damage @ 1% of the accepted contract sum for delay of each week or part thereof shall be recovered from successful vendors. The total of liquidated damage shall be subject to a maximum of 10% of the accepted contract value, accrual of which entitles us to rescind the contract.

#### 12. TERMINATION FOR DEFAULT(S)

Bank reserves its right to cancel the work/purchase order and/ or terminate this Agreement by giving 15 days' prior notice in writing to the Vendor without prejudice to its rights and contentions available under this Agreement or under the Law (s) for the time being in force in the following circumstances: -

- a) Unnecessary or unwarranted delay in execution of the work allotted.
- b) Delay in providing the requisite manpower at the Bank's site.
- c) The vendor violates any Laws, Rules, Regulations, Bye-Laws, Guidelines, and Notifications etc.





#### सम्मान आपके विश्वास का


Honours your trust

- d) Breach of trust is noticed during any stage of the consultancy assignment.
- e) The selected bidder commits a breach of any of the terms and conditions of the bid.
- f) The selected bidder goes in to liquidation voluntarily or otherwise.
- g) An attachment is levied or continues to be levied for a period of 7 days upon the effects of the bid.
- h) If it is found at any stage that the bidder has concealed any important information or has submitted any false information or declaration particularly regarding any pending legal action or blacklisting status.
- i) If there is any conflict of interest.
- j) An attachment is levied or continues to be levied for a period of seven days upon effects of the contract.
- k)If fails to complete the assignment as per the time lines prescribed in the Purchase order/ Agreement and/or within the extension, if any allowed.

In addition to the cancellation of work order/termination of the master contract, the Bank reserves the right to appropriate the damages from the earnest money deposit (EMD) provided by the selected bidder and/or forfeit the Performance Bank guarantee furnished by the vendor or other wise. The Bank also reserves the right to recover any dues payable by the selected bidder from any amount outstanding to the credit of the selected bidder, including the pending bills and security deposit, if any, under this contract or any other contract/order.

Notwithstading anything contained hereinbefore, Bank shall have the right to terminate the contract at any time at its own convenience by serving a prior written notice of 15 days to the vendor without assigning any reason and without cost or compensation therefor.

- 13. CONSEQUENCES OF TERMINATION: The Bank at its sole discretion shall invoke the Performance Guarantee, and the Indemnity furnished towards non performance/non Compliance of the terms and conditions of the work order/contract by the Contractor/Vendor, without prejudice to its rights and conditions available under the Law for the time being in force.
- **14.** Date of Commencement of work: The work shall be deemed to be commenced from **seventh day** from the date of receipt of work order/Purchase order. The work should be started in consultation with H.O-GAD.
- **15. Time of Completion: 3 weeks (Three Weeks)** from the stipulated date of commencement of the work.
- **16.RESPONSIBILITY FOR COMPLETENESS:** Any supplies and services which might not have been specifically mentioned in this R.F.P/tender / contract but are necessary for the design, manufacture, supply, testing, handing over, operationalizing, performance or completeness of the contract, shall be provided / rendered as per the time schedule for the efficient and smooth operation and maintenance of the system under Indian conditions. The approval by the Bank at any stage for any supplies by the vendor shall not relieve the vendor of his obligation.





#### सम्मान आपके विश्वास का

Honours your trust

**17. DISPUTE RESOLUTION MECHANISM:** The Vendor and The Bank shall endeavor their best to amicably settle all disputes arising out of or in connection with the Contract in the following manner:

- **a.** The Party raising a dispute shall address to the other Party a notice in writing requesting an amicable settlement of the dispute within seven (7) days of receipt of the notice.
- **b.** The matter will be referred for negotiation between designated officials of the Bank /Purchaser and the Authorised Official of the Bidder. The matter shall then be resolved between them and the agreed course of action documented within a further period of 15 days.


In case any dispute between the Parties, does not settle by negotiation in the manner as mentioned above, the same shall be resolved exclusively by arbitration and such dispute may be submitted by either party for arbitration within 20 days of the failure of negotiations. Arbitration shall be held in Kolkata and conducted in accordance with the provisions of Arbitration and Conciliation Act, 1996 or any statutory modification or reenactment thereof. Each Party to the dispute shall appoint one arbitrator each and the two arbitrators shall jointly appoint the third or the presiding arbitrator.

The "Arbitration Notice" should accurately set out the disputes between the parties, the intention of the aggrieved party to refer such disputes to arbitration as provided herein, the name of the person it seeks to appoint as an arbitrator with a request to the other party to appoint its arbitrator within 45 days from receipt of the notice. All notices by one party to the other in connection with the arbitration shall be in writing and be made as provided in this tender document. The arbitrators shall hold their sittings at Kolkata.

The arbitration proceedings shall be conducted in English language. Subject to the above, the courts of law at Kolkata alone shall have the jurisdiction in respect of all matters connected with the Contract/Agreement. The arbitration award shall be final, conclusive and binding upon the Parties and judgment may be entered thereon, upon the application of either party to a court of competent jurisdiction.

Each Party shall bear the cost of preparing and presenting its case, and the cost of arbitration, including fees and expenses of the arbitrators, shall be shared equally by the Parties unless the award otherwise provides. The Bidder shall not be entitled to suspend the Service/s or the completion of the job, pending resolution of any dispute between the Parties and shall continue to render the Service/s in accordance with the provisions of the Contract/Agreement.

**18.GOVERNING LAWS AND JURISDICTION:**\_This contract shall be governed by and construed in accordance with the Laws of India for the time being in force and all the dispute(s) or difference(s) arising out of or in connection with the contract shall be subject to the exclusive jurisdiction of the courts at Kolkata.





#### सम्मान आपके विश्वास का

Honours your trust

**19.NOTICES:**\_Notice or other communications given or required to be given under the contract shall be in writing and shall be faxed/e-mailed followed by either hand-delivery with acknowledgement thereof, or transmitted by pre-paid registered post or courier. Any notice or other communication shall be deemed to have been validly given on date of delivery if hand delivered & if sent by registered post than on expiry of seven days from the date of posting.

**20. PUBLICITY:** Any publicity by the bidder in which the name of Bank is to be used should be done only with the explicit prior written permission of Bank. The Vendor shall not make or allow to make a public announcement or media release about any aspect of the Contract unless BANK first gives the Vendor its prior written consent.


**21. FORCE MAJEURE:** Force Majeure is herein defined as any cause, which is beyond the control of the selected bidder or BANK as the case may be which they could not foresee or with a reasonable amount of diligence could not have foreseen and which substantially affect the performance of the contract, such as:

- 1. Natural phenomenon, including but not limited to floods, droughts, earthquakes and epidemics
- 2. Acts of any government, including but not limited to war, declared or undeclared priorities, quarantines and embargos
- 3. Terrorist attack, public unrest in work area

Provided either party shall within 10 days from occurrence of such a cause, notify the other in writing of such causes. The bidder or BANK shall not be liable for delay in performing his/her obligations resulting from any force majeure cause as referred to and/or defined above.

Any delay beyond 30 days shall lead to termination of contract by parties and all obligations expressed quantitatively shall be calculated as on date of termination. Notwithstanding this, provisions relating to indemnity, confidentiality survive termination of the contract.

- **22. CONFIDENTIALITY:** The bidder must undertake that they shall hold in trust any Information received by them, under the Contract/Agreement, and the strictest of confidence shall be maintained in respect of such Information. The bidder has also to agree:
- To maintain and use the Information only for the purposes of this Contract/Agreement and only as permitted by BANK;
- To only make copies as specifically authorized by the prior written consent of Bank and with the same confidential or proprietary notices as may be printed or displayed on the original;





#### सम्मान आपके विश्वास का

#### Honours your trust

- To restrict access and disclosure of Information to such of their employees, agents, strictly on a "need to know" basis, to maintain confidentiality of the Information disclosed to them in accordance with this Clause and
- To treat all Information as Confidential Information.
- Conflict of interest: The Vendor shall disclose to BANK in writing, all actual and potential conflicts of interest that exist, arise or may arise (either for the Vendor or the Bidder's team) in the course of performing the Service(s) as soon as practical after it becomes aware of that conflict.
- 23. NON-TRANSFERABLE OFFER: This Request for Proposal (RFP) is not transferable. Only the bidder who has purchased this document in its name or submitted the necessary RFP price (for downloaded RFP) will be eligible for participation in the evaluation process. There will not be any type of outsourcing.

The bidder should also submit an undertaking to the effect that he has not made any modification in the original copy of RFP and his bid would be liable for rejection for any violation of the above.


24. PERIOD OF VALIDITY OF BID: Bids shall remain valid for Ninety days after the date of bid opening prescribed by BANK. BANK holds the rights to reject a bid valid for a period Ninety days as non-responsive, without any correspondence. In exceptional circumstances, BANK may solicit the Bidder's consent to an extension of the validity period.

The request and the response thereto shall be made in writing. Extension of validity period by the Bidder should be unconditional and irrevocable. The Bid Security provided shall also be suitably extended. A bidder acceding to the request will neither be required nor be permitted to modify its bid. A bidder may refuse the request without forfeiting its bid security. In any case the bid security of the bidders will be returned after completion of the process.

- 25. ADDRESS OF COMMUNICATION: Offers/bid should be addressed to the address given in this RFP
- 26. PRELIMINARY SCRUTINY: BANK will scrutinize the offers/bids to determine whether they are complete, whether any errors have been made in the offer/bid, whether required technical documentation has been furnished, whether the documents have been properly signed, and whether items are quoted as per the schedule.

BANK may, at its discretion, waive any minor non-conformity or any minor irregularity in an offer/bid. This shall be final, conclusive and binding on all bidders and BANK reserves the right for such waivers.

27. NO COMMITMENT TO ACCEPT LOWEST OR ANY OFFER/BID: BANK shall be under no obligation to accept the lowest or any other offer received in response to this offer





#### सम्मान आपके विश्वास का

Honours your trust

notice and shall be entitled to reject any or all offers without assigning any reason whatsoever. BANK has the right to re-issue tender/bid.

BANK reserves the right to make any changes in the terms and conditions of purchase that will be informed to all bidders. BANK will not be obliged to meet and have discussions with any bidder, and/or to listen to any representations once their offer/bid is rejected. Any decision of BANK in this regard shall be final, conclusive and binding upon the bidder.

**28. SIGNING OF THE BID:**\_The bid shall be signed by a person or persons duly authorized by the Bidder with signature duly attested. In the case of a body corporate, the bid shall be signed by the duly authorized officers and supported by internal corporate authorizations.

**29.COSTS OF PREPARATION & SUBMISSION OF BID:** The bidder shall bear all costs for the preparation and submission of the bid. BANK shall not be responsible or liable for reimbursing/compensating these costs, regardless of the conduct or outcome of the bidding process.


**30.SUBCONTRACTING:** The Bidder will not subcontract or delegate or permit anyone other than the Bidder personnel to perform any of the work, service or other performance required of the Bidder under this agreement without the prior written consent of the Bank and the bank's decision in this regard will be final and acceptable to the bidder.

#### 31.OWNERSHIP AND RETENTION OF DOCUMENTS

- BANK shall own the documents, prepared by or for the selected bidder arising out of or in connection with the Contract.
- Forthwith upon expiry or earlier termination of the Contract and at any other time on demand by BANK, the Vendor shall deliver to BANK all documents provided by or originating from BANK/ Purchaser and all documents produced by or from or for the Vendor in the course of performing the Service(s), unless otherwise directed in writing by BANK at no additional cost.
- The selected bidder shall not, without the prior written consent of BANK/ Purchaser store, copy, distribute or retain any such Documents.
- The selected bidder shall preserve all documents provided by or originating from BANK/ Purchaser and all documents produced by or from or for the Vendor in the course of performing the Service(s) in accordance with the legal, statutory, regulatory obligations of UCO BANK/Purchaser in this regard.

#### 32. Signing of Contract/Agreement

The successful bidder / Contractor is required to enter into a Contract as per Bank's prescribed format within 15 days from the date of acceptance of Bank's offer valid upto completion of job effective from the date of execution of contract, unless





#### सम्मान आपके विश्वास का

Honours your trust

terminated earlier by the Bank by serving 15 days prior notice in writing to the Contractor/ selected bidder at its own convenience without assigning any reason and without any cost or compensation therefor.

The failure, delay or evasion on the part of the successful bidder to execute the Contract within the period mentioned will entitle the Bank to forfeit the Earnest Money deposited by the successful bidder/Consultant, without further notice to the successful bidder/ Consultant. Further, the failure, delay or evasion on the part of the successful bidder / consultant to commence project within 15 days from the date of execution of the Master Contract will result in termination of the Contract and invocation of the Bank Guarantee by the Bank without prejudice to its other rights and remedies available under the contract and/or Law(s) for the time being in force.

#### 33. Bank reserves the right to the following:

Bank reserves its rights, without giving any reason whatsoever and without any cost or compensation therefor, to.


- Reject any or all proposals received in response to the RFP
- Reject the proposals received in response to the RFP containing any deviation from the payment terms as stipulated in RFP.
- Waive or Change any formalities, irregularities, or inconsistencies in RFP.
- Extend the time for submission of proposal.
- Modify the RFP document, by an amendment that would be notified on the Bank's website.
- Independently ascertain information from the Banks and other institutions / companies to which the bidder has already extended IFRS / Converged Indian Accounting Standards (IND-AS) services for similar assignment.
- Modify the time period stipulated above for completion of assignment during the execution of assignment if it deems fit.

#### 34. Forfeiting of Bid Security/EMD: The Bid security/EMD may be forfeited: -

a) if a Bidder withdraws its Bid during the period of Bid validity specified in the RFP

or

b) if it was found that the successful Bidder had made any statement or had enclosed any documentary evidence which turns out to be false/incorrect at any time till the bank's final settlement of the bills submitted by the bidder, for the audit assignment undertaken by the bidder.





#### सम्मान आपके विश्वास का

Honours your trust

- c) The bid security amount will be forfeited if the vendor refuses to accept work order or having accepted the work order fails to carry out his obligations mentioned therein.
- **35. Compliance Confirmation:** The Bidder must submit unconditional and unambiguous compliance confirmation to all the terms and conditions stipulated in the RFP .
- **36.Proposal Ownership:** The proposal and all supporting documentation submitted by the bidders shall become the property of the Bank. The proposal and documentation may be retained, returned or destroyed as the Bank decides.

Astt. General Manager, Head Office -GAD UCO Bank, Kolkata







सम्मान आपके विश्वास का

Honours your trust

#### **ANNEXURE-I**

	FORMAT OF BANK GUARANTEE
To: The	
(То	be stamped in accordance with the stamp act)
Companies (Acquisition & T BIPLABI TRILOKYA MAHARAJ "UCO BANK") having agree-incorporated under the Convendor company) (hereinaterms and conditions ofdatedissue between UCO BANK and the Proposal no"the said Agreement"), of setterms and conditions contain for Rs	D BANK, a body corporate constituted under the Banking ransfer of Undertaking) Act, 1970, having its head office at 10 SARANI (BRABOURNE ROAD), Kolkata-700001 (hereinafter called d to engage M/s (Name of the vendor Company) a Company an action of the vendor Company) a Company of the called "the said VENDOR") from the demand, under the UCO BANK's purchase order/ Letter of Intent bearing noted to the Vendor and an Agreement nodated
BANK GUARANTEE] do he guarantee without any camount claimed is due VENDOR of any of the terof the VENDOR'S failure to Bank shall be conclusive or	[indicate the name of the bank ISSUING THE reby undertake to pay the amounts due and payable under this demur, merely on a demand from UCO BANK stating that the by way of loss or damage caused to or breach by the said rms or conditions contained in the said Agreement or by reasor or perform the said Agreement. Any such demand made on the as regards the amount due and payable by the Bank under this liability under this guarantee shall be restricted to an amount no

3. We undertake to pay to UCO BANK any money so demanded notwithstanding any dispute or disputes raised by the VENDOR in any suit or proceeding pending before any court or Tribunal relating thereto our liability under this present being absolute and unequivocal.

The payment as made by us under this bond shall be a valid discharge of our liability for payment there under and the VENDOR for payment there under and the VENDOR shall have no claim against us for making such payment.





#### सम्मान आपके विश्वास का

Honours your trust

4. We,
Unless a demand or claim under this guarantee is made on us in writing on or before(Expiry of claim period), we shall be discharged from all liabilities under this guarantee thereafter.
5. We
<ul><li>6. This guarantee will not be discharged due to the change in the constitution of the Bank or the VENDOR.</li><li>7. We,</li></ul>
] lastly undertake not to revoke this guarantee during its currency except with the previous consent of UCO BANK in writing.
Notwithstanding anything contained herein:
i) Our liability under this Bank Guarantee shall not exceed Rs (Rupees) only.
ii) This Bank Guarantee shall be valid upto
iii) We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before
8. Dated the day of [indicate the name of Bank]
Yours' faithfully,
For and on behalf of





Honours your trust

सम्मान आपके विश्वास का

#### **ANNEXURE-II**

Draft Agreement

Article of agree	ement made th	isc	day of	20	2		
(Acquisition & T its Head Office which expression deemed to me	ransfer of Under at No.10, BTM on shall unless ean and incluc having led "The Vende	ertakings) , Sarani, Ko excluded de its assig g its registe	Act, 1970 olkata-700 by or rep gns and su ered office	as ame 0001 (he ougnan uccesso e at	ended from tereinafter refe to the subjects) of the "C	anking Companie ime to timehavin erred to as "Bank ect or context b ONE PART and M,	g c" e /s
Whereas th					O		or
Office						t UCO Bank Hea ''Bank'')	d
And whereas the signed by and a				work or	rder have be	en accepted an	d
herein and wor including all of correspondence the award of w to as "the said the tender at the	rk order, General her conditions e exchanged ker ork, both letter conditions") the rates therein and amou	ral condit as mention by or betwo inclusive, e work de an set for in unting to	ions of cooned, in the post of	ontract, the wo parties f ch are the sai nk Work um of	special cond rk order, specificm the submacollectively had specification of the condition o	condition set fort dition of contract cifications and conission of tender the ereinafter referred on and included includ	t, all fill d in d
NOW IT IS HEREE	BY AGREED AS F	OLLOWS:					
part of th (a) Worl (b) R.F.P	wing documer nis Agreement: k order letter no .(Request For Pi gendum (if any	o roposal) d	 lated	dated .		o form an integro	al



#### सम्मान आपके विश्वास का

Honours your trust

#### **GENERAL TERMS & CONDITIONS**

#### 1. Scope of work:


- (a) Supply and Installation of Furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata.
- (b) WARRANTY: Warranty will be two years from the date of installation of furnitures.

#### 2. Price and Taxes:

(a) The price shall be firm and binding without any escalation throught the contract period i.e(Till Completion of Work). The prices (in Indian Rupees) should indicate All inclusive Price of the equipment **[i.e.**] transportation, insurance (to cover equipment during the transit, installation at site and handing it over to the Bank), Duties, installation charges, comprehensive on site warranty of two years covering all parts, consumables, labour etc ] GST should be shown separately . If the Bidders fails to include them in the tender, no claim thereof will be considered by the Bank afterwards..

#### (b) Additional Terms & Condition on GST are as follows:

- Supplier/service provider to confirm that the GST amount charged in invoice is declared in its returns and payment of taxes is also made.
- The Supplier/ Service Provider agrees to comply with all applicable GST laws, including GST acts, rules, regulations, procedures, circulars & instructions there under applicable in India from time to time and to ensure that such compliance is done within the time prescribed under such laws. Supplier/Service Provider should ensure accurate transaction details, as required by GST laws, are timely uploaded in GSTN2. In case there is any mismatch between the details so uploaded in GSTN by Supplier/ Service Provider and details available with UCO Bank, then payments to Supplier/Service Provider to the extent of GST relating to the invoices/s under mismatch may be retained from due payments till such time the accurate tax amount is finally reflected in the GSTN to UCO Bank's Account and is finally available to UCO Bank in terms of GST laws and that the credit of GST so taken by UCO Bank is not required to be reversed at a later date along with applicable interest.
- UCO Bank has the right to recover monetary loss including interest and penalty suffered by it due to any non-compliance of tax laws by the supplier/service provider. Any loss of input tax credit to UCO Bank for the fault of supplier shall be recovered by UCO Bank by way of adjustment in the consideration payable.





#### सम्मान आपके विश्वास का

Honours your trust

• Supplementary invoices/debit note/credit note for price revisions to enable UCO Bank to claim tax benefit on the same shall be issued by the vendor for a particular year before September of the succeeding financial year.

The purchase order/ work order shall be void, if at any point of time the vendor is found be to a black listed dealer as per GSTN rating system and further no payment shall be entertained.

#### 2. Placement of Order/Letter Of Indent(LOI):


Bank will issue the LOI as per requirement accordingly with details terms & conditions.

- **3. Terms of Payment:** Bank will not pay any advance. Final payment will be released against Vendor's bill after satisfactory supply and installation of the full quantity, subject to compliance of terms of contract by the contractor and statutory deductions as per Rule. Interim payment will be released after delivery of all Furnitures at site. Minimum value of works for claiming interim payment will be Rs.22.00 Lakhs considering delivery of materials at site upon production of proper documentary evidence. No payment shall be made until the Bank Guarantee and original papers of insurance are furnished.
- **4. Performance Bank Guarantee:** Successful Bidders will have to submit a performance Bank Guarantee equivalent to 3% of work order value prior to or at the time of execution of the Agreement which will be valid till completion of the work in all respects for due performance of the contract, with a claim period of further three months. The Bank Guarantee to be issued by any Nationalized Bank or any scheduled commercial Bank banking in India other than UCO Bank or its subsidiary, as per enclosed format in Annexure-1. Any defect in the work or operational service, arising out during the period and not attended by the contractor within two days from the date of reporting the defect, will be rectified by the Bank through some other agency and the cost thereof will be recovered from the company and or by invoking the B.G. Bank has the right to invoke the BG for any non-compliance of the terms & conditions of this RFP or the Contract to be executed between the selected bidder and the Bank at any point of time without prejudice to its other rights and remedies available under the Contract and/or the Law (s) for the time being in force.

Any defect in the work, arising out during the period of one year from the date of installation and not attended by the Vendor within two days from the date of reporting the defect, will be rectified by the Bank through some other agency and the cost thereof will be recovered from the Company from the amount payable to Vendor by the Bank and/or by invoking the Performance Bank Guarantee, without prejudice to Bank's rights and contentions.

The performance Bank Guarantee will be returned to the contractor at the end of three months after expiry of warranty period of two years.

**5.\_INDEMNITY BOND:** Vendor has to submit Indemnity Bond as per Bank's format as per **Annexure-VI** on Non-juditial Stamp Paper of appropriate value .





#### सम्मान आपके विश्वास का

Honours your trust

**6.LIQUIDATED DAMAGE:** In case of failure to complete the work within the stipulated period of time by fault of the successful vendors, liquidated damage @ 1% of the accepted contract sum for delay of each week or part thereof shall be recovered from successful vendors. The total of liquidated damage shall be subject to a maximum of 10% of the accepted contract value, accrual of which entitles us to rescind the contract.

**7.FORCE MAJEURE:** Force Majeure is herein defined as any cause, which is beyond the control of the selected bidder or BANK as the case may be which they could not foresee or with a reasonable amount of diligence could not have foreseen and which substantially affect the performance of the contract, such as:

- (i) Natural phenomenon, including but not limited to floods, droughts, earthquakes and epidemics
- (ii) Acts of any government, including but not limited to war, declared or undeclared priorities, quarantines and embargos
- (iii) Terrorist attack, public unrest in work area

Provided either party shall within 10 days from occurrence of such a cause, notify the other in writing of such causes. The bidder or BANK shall not be liable for delay in performing his/her obligations resulting from any force majeure cause as referred to and/or defined above.


Any delay beyond 30 days shall lead to termination of contract by parties and all obligations expressed quantitatively shall be calculated as on date of termination. Notwithstanding this, provisions relating to indemnity, confidentiality survive termination of the contract.

**8. Compliance of laws:** The Vendor undertakes to comply with all Laws/Rules/Regulations/Bye – Laws/Notifications etc. for the time being in force.

#### Change in law clause

Any reduction in the contract price resulting from introduction of any new law, towards leviable taxes, including eligible credits, in respect of goods and services to be supplied under the Contract, then the Parties agree to a downward adjustment to the contract price to reflect the financial impact of such "Change in law" and the financial benefit thereof shall be given to the Bank.

- **9. CANCELLATION/TERMINATION:** Bank reserves its right to cancel the work/purchase order and/ or terminate this Agreement by giving 15 days' prior notice in writing to the Vendor without prejudice to its rights and contentions available under this Agreement or under the Law (s) for the time being in force in the following circumstances: -
- a) Unnecessary or unwarranted delay in execution of the work allotted.
- b) Delay in providing the requisite manpower at the Bank's site.
- c) The vendor violates any Laws, Rules, Regulations, Bye-Laws, Guidelines, and Notifications etc.
- d) Breach of trust is noticed during any stage of the consultancy assignment.
- e) The selected bidder commits a breach of any of the terms and conditions of the bid.





#### सम्मान आपके विश्वास का

Honours your trust

- f) The selected bidder goes in to liquidation voluntarily or otherwise.
- g) An attachment is levied or continues to be levied for a period of 7 days upon the effects of the bid.
- h) If it is found at any stage that the bidder has concealed any important information or has submitted any false information or declaration particularly regarding any pending legal action or blacklisting status.
- i) If there is any conflict of interest.
- j) An attachment is levied or continues to be levied for a period of seven days upon effects of the contract.
- k)If fails to complete the assignment as per the time lines prescribed in the Purchase order/ Agreement and/or within the extension, if any allowed.


In addition to the cancellation of work order/termination of the master contract, the Bank reserves the right to appropriate the damages from the earnest money deposit (EMD) provided by the selected bidder and/or forfeit the Performance Bank guarantee furnished by the vendor. The Bank also reserves the right to recover any dues payable by the selected bidder from any amount outstanding to the credit of the selected bidder, including the pending bills and security deposit, if any, under this contract or any other contract/order.

Notwithstading anything contained hereinbefore, Bank shall have the right to terminate the contract at any time at its own convenience by serving a prior written notice of 15 days to the vendor without assigning any reason and without cost or compensation therefor.

10. CONSEQUENCES OF TERMINATION: In the event of termination of the Agreement due to any reason, whatsoever, [whether consequent to the expiry of stipulated term of the Contract or otherwise], UCO BANK shall be entitled to impose any such obligations and conditions and issue any clarifications as may be necessary to ensure an efficient transition and effective business continuity of the Service(s) which the Vendor shall be obliged to comply with and take all steps to minimize loss resulting from the termination/breach, and further allow the next successor Vendor to take over the obligations of the erstwhile Vendor in relation to the execution/continued execution of the scope of the Contract.

In the event of termination of the Agreement due to the expiry of the term of the Contract and the Agreement is not further extended by UCO BANK, the Vendor herein shall be obliged to provide all such assistance to the next successor Bidder or any other person as may be required and as UCO BANK may specify including training, where the successor(s) is a representative/personnel of UCO BANK to enable the successor to adequately provide the Service(s) hereunder, even where such assistance is required to be rendered for a reasonable period that may extend beyond the term/earlier termination hereof.

Nothing herein shall restrict the right of UCO BANK to invoke the Performance Bank Guarantee and other guarantees, securities furnished and pursue such other rights and/or remedies that may be available to UCO BANK under law or otherwise. The termination hereof shall not affect any accrued right or liability of either Party nor affect the operation of the provisions of the Contract that are expressly or by implication intended to come into or continue in force on or after such termination.





#### सम्मान आपके विश्वास का

#### Honours your trust

- 11. Date of Commencement of work: The work shall be deemed to be commenced from seventh day from the date of receipt of work order/Purchase Order. The work should be undertaken in consultation with H.O-GAD.
- **12. Time of Completion : 3 Weeks (Three Weeks)** from the stipulated date of commencement of the work.

**13.RESPONSIBILITY FOR COMPLETENESS:** Any supplies and services which might not have been specifically mentioned in this R.F.P/tender / contract but are necessary for the design, manufacture, supply, testing, handing over, operationalizing, performance or completeness of the contract, shall be provided / rendered as per the time schedule for the efficient and smooth operation and maintenance of the system under Indian conditions. The approval by the Bank at any stage for any supplies by the vendor shall not relieve the vendor of his obligation.

#### 14.Dispute resolution mechanism


The Vendor and the Bank shall endeavour their best to amicably settle all disputes arising out of or in connection with the Contract in the following manner:

- a. The Party raising a dispute shall address to the other Party a notice requesting an amicable settlement of the dispute within seven (7) days of receipt of the notice.
- b. The matter will be referred for negotiation between authorised representative of UCO BANK and the Authorized Official of the Vendor. The matter shall then be resolved between them and the agreed course of action documented within a further period of 15 days.

In case any dispute between the Parties, is not settled by negotiation in the manner as mentioned above, the same may be resolved exclusively by arbitration and such dispute may be submitted by either party for arbitration within 15 days of the failure of negotiations. Each Party to the dispute shall appoint one arbitrator of their own choice and the two appointed arbitrators shall appoint the third arbitrator who will act as the presiding arbitrator. Arbitration shall be held in Kolkata and conducted in English as per provisions of Arbitration and Conciliation Act, 1996 or any statutory modification or reenactment thereof.

The "Arbitration Notice" should accurately set out the disputes between the parties, the intention of the aggrieved party to refer such disputes to arbitration as provided herein, the name of the person it seeks to appoint as an arbitrator with a request to the other party to appoint its arbitrator within 45 days from receipt of the notice. All notices by one party to the other in connection with the arbitration shall be in writing and be made as provided in this tender document.

The Vendor shall not be entitled to suspend the Service/s or the completion of the job, pending resolution of any dispute between the Parties, rather shall continue to render the Service/s in accordance with the provisions of the SLA notwithstanding the existence of any dispute between the Parties or the subsistence of any arbitration or other proceedings.





#### सम्मान आपके विश्वास का

Honours your trust

#### 15. Others Terms-

**A**. Nothing contained in this Agreement shall be construed as establishing or creating between the Parties, a relationship of master and servant or Bank and agent.

- **B.** The Vendor shall notify to Bank of any material change in their status, in particular, where such change would impact on performance of obligations under this Agreement. **C.** The Vender shall be jointly and severally liable to and responsible for all obligations for performance of works including that of its Associates under the Agreement.
- **D**. The Vendor shall at all times indemnify and keep indemnified Bank any claims in respect of any damages or compensation payable in consequences of any accident or injury sustained or suffered by its (Agency) employees or agents or by any other 3rd Party resulting from or by any action, omission or operation conducted by or on behalf of the Agency.


E.Governing Laws & Jurisdiction of the court

This Agreement shall be governed by the Law(s) of India for the time being in force and the Rules made thereunder from time to time and all the dispute(s) or difference(s) arising out of or in connection with the contract shall be subject to the exclusive jurisdiction of the courts of KOLKATA.

- G. Non-Disclosure: The Vendor must undertake that they shall hold in trust any information received by them, under the Contract/Agreement, and shall maintain confidentiality of such information.
- H. Non Assignment: Vendor shall agree that neither the subject matter of the agreement nor any right here in shall be transferred, sub-contracted, assigned or delegated to any third party by the successful bidder without prior written consent of the Bank.

In witness where of the Bank and the vendor have set their respective hands on the day and year first herein above written.

Signed on behalf of the UCO Bank	Signature on behalf
	of the vendor
By its duly authorized Officer	in presence of:





#### सम्मान आपके विश्वास का

Honours your trust

In presen	ce of:		
1)	Signature	1	)Signature
No	ame with address:		Name with address:
2)	Signature	2)	Signature
Name	with address		Name with address:

# UCO BANK





#### सम्मान आपके विश्वास का Honours your trust

#### Annexure-III

#### **APPLICATION FORMAT**


То
The Astt.General Manager(H.O-GAD)
UCO Bank Head Office, General Administration Department
2 <sup>nd</sup> Floor,10 BTM Sarani
Kolkata – 700001

Sir,

- 1. We have carefully examined all the contents incorporated in the various parts of this Tender Document for Supply and Installation of furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata and taken note of all the terms &conditions stated in the Tender Document in its various parts.
- 2. We understand that the time schedule of 4 weeks from the date of issue of purchase order stipulated for completion of supply and Installation of furnitures thereof in all respects of the plat and accepted by us is the essence of the contract.

- 5. We also agree that our tender along with the prices will remain valid for one year from the last date stipulated for submission of the tender and this period of validity can be extended for such period as may be mutually agreed between the Bank and bidders in writing.
- 6. We also agree to keep the Performance Security Deposit as per terms of the tender. However, if the performance of the machines is found unsatisfactory during the said validity period, you shall have the right to forfeit the Performance Security Deposit without reference to us.

7. Our PAN for Income Tax is
8.We are registered with GST and our registration numbers is as follows:
GST Registration Number:
35





सम्मान आपके विश्वास का

Honours your trust

For and on behalf of		
<del></del>		
(With seal)		
Signature		
Name		
Designation		
DULY AUTHORIZED SIGNATORY	day of	202

# UCO BANK





## सम्मान आपके विश्वास का

Honours your trust

# Particulars of Bidders (Submission of Documentary Evidence is must)

## A. Company / Vendor Profile

- 1. Name of the Vendor Firm/Company
- 2. Constitution
- **3.** Date of Establishment/Incorporation
- 4. Address

Registered Office

Corporate /Head Office

5. Telephone Number

Fax Number

E-Mail Address

Website

6. Sales Turnover

2018-19

2019-20


2020-21

- 7. Experience of Company
- **8.**Information on Key Service Personnel:

SL. NO	Name with contact details	Designation

- 8. GST registration details:
- **9.**PAN No:

Signature of Authorized Signatory with date and seal.





## सम्मान आपके विश्वास का

Honours your trust

### **Annexure-IV**

( OEM Declaration Form)

No	Date:
To The Astt General Manager (GA) General Administration Department, Head Office. UCO Bank 2nd Floor, 10 BTM Sarani, Kolkata-700001	
Sub:	
Ref No:	
Dear Sir,	
Wewho are established and report	,are original & that no embly/software are used erms & conditions of the also confirm that back to
Authorised Signatories (Name & Designation)	
Date For and on behalf of M/s (Name of manufacturer)	
Note: This letter of authority should be on the letterhead of t	he manufacturer/OEM &

should be signed by a competent person of the manufacturer.







Honours your trust

#### सम्मान आपके विश्वास का

#### **ANNEXURE-V**

#### **FORMAT OF INTEGRITY**

(To be executed on non-judicial stamp paper of requisite value)

UCO Bank, a body corporate, constituted under the Banking Companies (Acquisition & Transfer of Undertakings) Act, 1970 as amended from time to time having its Head Office at No.10, BTM Sarani, Kolkata-700001 hereinafter referred to as "Bank" (which expression shall unless excluded by or repugnant to the subject or context be deemed to mean and include its assigns, administrators and successors) of the "ONE PART

And

...... Hereinafter referred to as "The Bidder/Contractor".

#### Preamble

The **Bank** intends to award, under laid down organizational procedures, contract/s for......The Bank values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder (s) and / or contractor (s).


In order to achieve these goals, the Bank will appoint an independent External Monitor (IEM), who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section 1 – Commitments of the Bank.

- 1.The Bank commits itself to take all measures necessary to prevent corruption and to observe the following principles:-
- a. No employee of the Bank, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
- b. The Bank will during the tender process treat all Bidder(s) with equity and reason. The Bank will in particular, before and during the tender process, provide to all Bidders (s) the same information and will not provide to any Bidders (s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the process or the contract execution.
- c. The Bank will exclude from the process all known prejudiced persons.
- 2. If the Bankl obtains information on the conduct of any of its employees which is criminal offence under the IPC/PC Act, or it/if there be a substantive suspicion in this regard, the Bank will inform the Chief Vigilance Office and in addition can initiate disciplinary actions.

Sections 2 – Commitments of the Bidder (s)/Contractor(s)

1.The bidder(s) /contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.





### सम्मान आपके विश्वास का

Honours your trust

a. The Bidder(s) contractor(s) will not directly or through any other persons of firm, offer promise or give to any of the Bank's employees involved in the tender process of the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to in order to obtain in exchange any advantage or during the execution of the contract.


- b. The Bidder(s) /Contractor(s) will not enter with other Bidders into any undisclosed agreement of understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- c. The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act, further the Bidder(s) / contractors will not use improperly for purposes of competition or personal gain, or pass on to others, any information or document provided by the Bank as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d. The Bidder(s) / Contractor (s) of foreign origin shall disclose the name and address of the Agent/representatives in India, if any. Similarly the bidder(s)/contractor(s) of Indian Nationality shall furnish the name and address of the foreign Banks, if any. Further details as mentioned in the "Guidelines on Indian Agents of Foreign Suppliers" shall be disclosed by the Bidder(s)/Contractor(s). Further, as mentioned in the Guidelines all the payments made to the Indian agent/representative have to be in Indian Rupees only.
- e.The Bidder(s)/Contractor(s) will when presenting his bid, disclose any and all payments he has made is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- 2. The Bidder (s) /Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

Section 3: Disqualification from tender process and exclusion from future contracts

If the Bidder(s)/Contractor(s), before award or during execution has committed transgression through a violation of Section 2, above or in any other form such as to put his reliability or credibility in question, the Bank is entitled to disqualify the Bidder (s)/Contractor(s) from the tender process or take action as per the procedure mentioned in the "Guidelines on Banning of business dealings". Copy of the "Guidelines on Banning of business dealings" is annexed and marked as Annex-B".

#### Section 4: Compensation for Damages

- 1. If the Bank has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Bank is entitled to demand and recover the damages equivalent to Earnest Money Deposit/Bid Security.
- 2. If the Bank has terminated the contract according to Section 3, or if the Bank is entitled to terminate the contract according to Section 3, the Bank shall be entitled to demand and recover from the Contractor liquidated damages of the Contract value of the amount equivalent to Performance Bank Guarantee.





#### सम्मान आपके विश्वास का

Honours your trust

#### Section 5: Previous Transgression

- 1. The Bidder declares that no previous transgressions occurred in the last three years with any other company in any country conforming to the anti corruption approach or with any other public sector enterprise in India that could justify his exclusion from the tender process.
- 2. If the bidder makes incorrect statement on this subject he can be disqualified from the tender process and action can be taken as per the procedure mentioned in "Guidelines on Banning of business dealings".

Section 6: Equal treatment of all Bidders/Contractors/subcontractors.

- 1. The Bidder (s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact, and to submit it to the Bank before signing the contract.
- 2. The Bank will enter into agreements with identical conditions as this one with all bidders, contractors and subcontractors.
- 3. The Bank will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section 7: Criminal charges against violated Bidder(s)/Contractor(s)/Sub contractor(s).


If the Bank obtains knowledge of conduct of a Bidder, Contractor or subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor which constitutes corruption, or if the Bank has substantive suspicion in this regard, the Bank will inform the same to the Chief Vigilance Officer.

#### Section 8: Independent External Monitor/Monitors

- 1. The Bank appoints competent and credible Independent External Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- 2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Managing Director & CEO, UCO Bank.
- 3. The Bidder(s)/Contractor (S) accepts that the Monitor has the right to access without restriction to all project documentation of the Bank including that provided by the Contractor.

The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to subcontractors. The Monitor is under contractual obligation treat the information and documents of the Bidder (s)/Contractor(s)/Subcontractor(s) with confidentiality.

4. The Bank will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an





#### सम्मान आपके विश्वास का

Honours your trust

impact on the contractual relations between the Bank and the Contractor. The parties offer to the Monitor the option to participate in such meetings.

- 5. As soon as the Monitor notices, or believes to notice, a violation of this agreement he will so inform the Management of the Bank and request the Management to discontinue or take corrective action, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act, in a specific manner refrain from action or tolerate action.
- 6. The Monitor will submit a written report to the Managing Director & CEO, UCO Bank within 8 to 10 weeks from the date of reference or intimation to him by the Bank and should be occasion arise, submit proposals for correction of problematic situations.
- 7. Monitor shall be entitled to compensation on the same terms as being extended to / provided to Independent Directors on the UCO Bank.
- 8. If the Monitor has reported to the Managing Director & CEO, UCO Bank a substantiated suspicion of an offence under relevant IPC/PC Act, and the Managing Director & CEO, UCO Bank has not, within the reasonable time taken visible action to proceed against such offence or reported it to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner.
- 9. The word "Monitor" would include both singular and plural.

Section 9 – Pact Duration.

This pact begins when both parties have legally signed it, and expires for the contractor is 10 months after the last payment under the contract.


If any claim is made lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged / determined by Chairman and Managing Director, UCO Bank.

Section 10 - Other provisions

- This agreement is subject to Indian Law, Place of performance and jurisdiction is the Registered Office of the Bank i.e. Kolkata.
- Changes and supplements as well as termination notices need to be made in writing.
- If the Contractor is partnership or a consortium, this agreement must be signed by all partners or consortium members.
- Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

(For & on behalf of the Bank)

(For & On behalf of Bidder/Contractor)





## सम्मान आपके विश्वास का

Honours your trust

(Office Seal)	(Office Seal)	
Place	Place	
Date	Date	
Witness: (Name & Address)	Witness: (Name & Address)	

# UCO BANK





सम्मान आपके विश्वास का

Honours your trust

#### Annexure-VI


#### **DRAFT**

#### Letter of Undertaking & Indemnity

(To be executed on non-judicial stamp paper of requisite value)

To
UCO Bank
General Administration Department
Head Office

1) We shall, at all times hereinafter, save and keep harmless and indemnified the BANK, including its respective directors, officers, and employees and keep them indemnified from and against any claim, demand, losses, liabilities or expenses of any nature and kind whatsoever and by whomsoever made in respect of the said contract and any damage caused from and against all suits and other actions that may be instituted taken or preferred against the BANK by whomsoever and all losses, damages, costs, charges and expenses that the BANK may incur by reason of any claim made by any claimant for any reason whatsoever or by anybody claiming under them or otherwise for any losses, damages or claims arising out of all kinds of accidents, destruction, deliberate or otherwise, direct or indirect, from those arising out of violation of applicable laws, regulations, notifications guidelines and also from the environmental damages, if any, which may occur during the contract period.





### सम्मान आपके विश्वास का

Honours your trust

- 2) We shall, during the contract period, ensure that all the permissions, authorizations, consents are obtained from the local and/or municipal and/or governmental authorities, as may be required under the applicable laws, regulations, guidelines, notifications, orders framed or issued by any appropriate authorities.
- 3) Our obligations herein are independent, irrevocable, absolute and unconditional in each case irrespective of the value, genuineness, validity, regularity or enforceability of the aforesaid Agreement or the insolvency, bankruptcy, reorganization, dissolution, liquidation or change in ownership of the BANK or Indemnifier or any other circumstance whatsoever which might otherwise constitute a discharge or defense of an indemnifier.

In case we fail to pay the losses, damages and expenses as claimed and demanded by the Bank, Bank shall be entitled to recover the amount by invoking Performance Bank Guarantee furnished by us for Supply and Installation of furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata under buyback arrangement without any prior notice to us.

4)	This Letter of Ur	ndertaking &	Indemnity sh	all survive the	Agreement er	ntered into	betv	ween the
	Bank and us.							
	Dated, this		day of	20				

(Signature of the Authorized Signatory of vendor along with the seal of the Company)





#### Honours your trust

\_\_\_\_\_

#### **Annexure-VII**

### **Technical Compliance Statement**

#### **Declaration**

We hereby undertake to agree to abide by all the terms and conditions stipulated in the tender document.


We certify that the systems / services offered by us for tender conform to the specifications stipulated in the tender form.

Signature of Authorized Signatory with date and seal

### Letter of Undertaking

I / we authorize my / our Banker/s ----- (Name of the Bankers, Address) to give confidential information about my / our company whenever required / called for by UCO Bank.

(Signature of Authorized Signatory with date and seal)







सम्मान आपके विश्वास का

Honours your trust



#### **UCO BANK**

Head Office, General Administration Department 2<sup>nd</sup> Floor,10 BTM Satani,Kolkata-700001

Email: hogad.calcutta@ucobank.co.in Phone: 033-44557383/8099;Fax033-22266459 Website http://www.ucobank.com

RFP for Supply and Installation of Furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata

PART-II (Price Bid)

**Annexure-VIII** 




## सम्मान आपके विश्वास का

Honours your trust

Price Bid for Supply and Installation of Furnitures at newly constructed Executive Training Centre Building at Newtown, Kolkata

Price Schedule (BOQ)


SL		Description	Qty	Unit	Rate (Rs)	Amount (Rs)
No						Excl of GST
	PRINCIPAL ROOM	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made Executive desk with ERU (2350X2350X750) as per approved drawing and design/specification of Engineer In-Charge. Overall dimensions: 2350MMX 1150MMX 750MM (LXBXH) ERU SIZE: 1200 X 500 X 750MM (LXBXH). Primary Work Surface:-Made up of 25 MM Thk- one sided pre-laminated board confirming of IS-14587:1998 with 0.4mm PVC membrane pressed on top. Soft Closing access flap with in -build power box are provided on work surface for wire management. Secondary Work Surface:-Made up of 25 MM Thk- one sided pre-laminated board confirming of IS-14587:1998 with 0.4mm PVC membrane Pressed on top. Modestly Panel:- Made up of 25 MM Thk- one sided pre-laminated board confirming of IS-14587:1998 with 0.4mm PVC membrane pressed on top. Under Strcuture:- Made up of 25 MM Thk pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, edge banded with matching with 2MM thk pvc lippng. Integrated Pedestal:- Made up of 25 MM Thk pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, edge banded with matching with 2MM thk pvc lippng. Drawers front are made up of 25mm thk Mdf- one side pre-laminated board confirming of IS-14587:1998 with 0.4mm PVC membrane pressed on the top. Pedestal Construction is BOX-BOX-FILE type which uses powder coated 400mm long metal. Penal drawer slides. Drawer Extension is 325 mm drawer have a soft closing & anti slam mechanism. Handles are provided for ease of opening. Pedestal is provided with lock for security.		Nos		





# सम्मान आपके विश्वास का


0 1	D . I. C 1 . 1 . 1 II I. 1 100	0		T	
	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made Back unit as per approved drawing and design/ specification of Engineer In-Charge. Top panel is Made of 25mm Thick Prelaminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping for body panels like side, bottom, back and shelves. Shutters are made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top. Shutters have a soft closing & anti slam mechanism. Handles are provided for ease of opening. Storage is provided with lock for security. Made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top. Overall dimension: 1650W X 500D X 1100H mm.	2	Nos		
PRINCIPAL ROOM	Providing High Back Chair Dimension: Seat - 51.0 ± 2cm (W) x 50.0 ± 2cm (D) Back - 51.0 ± 2cm (W) x 84.0 ± 2cm (H) Pedestal - 66 ± 0.5cm pitch-centre dia Material:Seat: Seat & Back are duly upholstered with approved fabric/mesh. Specially designed mesh with Global standards - IS 20 D- material- Polyester & Polyelastomer blend in a ratio of 54% & 46%. GSM- 340. Abrasion resistance - confirming to ISO 12945-2. Colour fastness confirming to AATCC 16:2004 standards - 4.5. Fabric: 100% polyester- 340-350 GSM grade Abrasion-> 50000 cycles confirming to ISO 12945-2. No flaming or progressive smouldering within one hour of placement of the cigarettes. Fire rated fabric confirming to BS EN 1021 (match), IS 15061-2002. Cushion with pre moulded foam of 50 - 55 density in the shape of plywood. Density 52 kg/m3, Hardness - 20-28 kgf at 50%- Ply wood: 12 mm thick 8-9 ply. fire retardant type exterior grade phenol formaldehyde bonded, hot pressed ply conforming to IS303. The ply wood is fitted with metal "T" nut to have metal to metal Back:The back shell material- PA + 30% GF- Inject moulded in 650 ton hydraulic machine. Upholstered with special imported nylon mesh. Nylon52% + polyelastomer 48%. Abrasion resistance confirming to ASTM D4157:2007. Mesh flammability passes the laid down international standards. (Bulletin 117, Section E:2000). Mesh fabric used for back upholstery With Unique Dynaflex Two Piece Back Construction. Inbuilt body flex lumbar support that synchronises perfectly with your back in all positions of recline. Back frame has a special design of lumber support and pivoting where the person gets a complete ergonomic support while turning to the left of right while working. Armrest: Three Way Adjustable Arms '3D' (Height & Swivel & Sidewise). Moulded self skinned polyurethane arms confirming to IS 7078. Material- Nylon with GF 30%. The button		No		





# सम्मान आपके विश्वास का


3PAL ROOM	material- Polyurethane with 2 mm metal insert. PU armrest is made of black integral skin polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert. The armrest top is made of ABS & upholstered with foam & leather. Mechanism: Synchro tilt Mechanism with Seat Slide – M06 mechanism offered in Multi lock features. The taper angle should match with the taper angle of gas lift swaging-1°26°, 16". Composite release levers for locking mechanism & Gas lift height adjustment. It has pivot syncro tilt mechanism with Seat to back tilt ratio 3:7 and 360° revolving. Gaslift: Class 4 tested -ANSI BIFMA performance standards. The pneumatic height adjustment has an adjustment stroke of 10.0 ± 0.3 cm. Pedestal: Specially designed 5 pronged structure forged out of CR Sheets of 1.8 mm thick. Base diameter is 26 inches. It is reinforced with ribs, MIG welded to provide additional strength and support. Chrome plated to thickness of 10-12 microns. Fitted with 5 nos. 60mm twin wheel castors. The pedestal pitch-center dia is Ø 66.4 ± 0.5 cm. The twin wheel castors are injection moulded in black nylon.  Providing Mid Back chair. Seat: Seat & Back are duly upholstered with approved fabric/mesh. Specially designed mesh with Global standards - IS 20 D- material- Polyester & Polyelastomer blend in a ratio of 54% & 46%. GSM-340. Abrasion resistance – confirming to ISO 12945-2. Colour fastness confirming to AATCC 16:2004 standards - 4.5. Fabric: 100% polyester- 340-350 GSM grade,- Abrasion- > 50000 cycles confirming to ISO 12945-2. No flaming or progressive smouldering within one hour of placement of the cigarettes. Fire rated fabric confirming to BS EN 1021 (match), IS 15061-2002. Cushion with pre moulded foam of 50 - 55 density in the shape of plywood. Density - 52 kg/m3, Hardness - 20-28 kgf at 50%-Plywood: 12 mm thick 8-9 ply. fire retardant type exterior grade phenol formaldehyde bonded, hot pressed ply conforming to IS303. The plywood is fitted with metal "T" nut to have metal to metal. Back: The back shell material- PA +	3	Nos	
PRINCIPAL ROOM	52 kg/m3, Hardness - 20-28 kgf at 50%- Ply wood: 12 mm thick 8-9 ply. fire retardant type exterior grade phenol formaldehyde bonded, hot pressed ply conforming to IS303. The ply wood is fitted with metal "T" nut to have metal to metal. Back: The back shell material- PA +			





# सम्मान आपके विश्वास का


			 <del></del>
	polyurethane with 50-70 shore 'A' hardness and reinforced with MS insert. The armrest top is made of ABS & upholstered with foam & leather. Mechanism: Synchro tilt Mechanism with Seat Slide – M06 mechanism offered in Multi lock features. The taper angle should match with the taper angle of gas lift swaging-1°26°, 16". Composite release levers for locking mechanism & Gas lift height adjustment. It has pivot syncro tilt mechanism with Seat to back tilt ratio 3:7 and 360° revolving. Gaslift: Class 4 tested -ANSI BIFMA performance standards. The pneumatic height adjustment has an adjustment stroke of 10.0 ± 0.3 cm. Pedestal: Specially designed 5 pronged structure forged out of CR Sheets of 1.8 mm thick. Base diameter is 26 inches. It is reinforced with ribs, MIG welded to provide additional strength and support. Chrome plated to thickness of 10-12 microns. Fitted with 5 nos. 60mm twin wheel castors. The pedestal pitch-center dia is Ø 66.4 ± 0.5 cm. The twin wheel castors are injection moulded in black nylon.		
5	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made 3 Seater sofa as per approved drawing and design/ specification of Engineer In-Charge. It is made up of pu foam in density 28+2kg/cu.mtr with additional top layer of supersoft pu foam density 32+-2kg/cu upholstered with fabric or leatherite. It is made up of pu foam in density 28+-2kg/cu.mtr with 2 additional top layer of supersoft pu foam density 32+-2kg/cu.mtr with 2 additional top layer of supersoft pu foam density 32+-2kg/cu mtr, upholstered with fabric or leatherite. It is made up of 1.2+-0.1cm thk hot pressed plywood (moisture resistence & termite proof as per is: 303) & pinewood of cross section devoid of major knots & & surf defects 6 nos. Per seat & 3.8mm dia zigzag spring assembly is mounted over understructure for cushioning purpose. It is welded assembly made of ss (grade ss – 202) tube & plate with plastic endcap. Width: 206.0cm. Depth:- 90.5cm. Height:- 85.5cm. Seat hgt:- 45.0cm (sh).	No	
6	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made centre table as per approved drawing and design/specification of Engineer In-Charge. It is 10 ±0.3 mm thick black tinted toughened glass uv glued with bushes made in ss 202 grade for fixing with understructure. side & center table understructure: it is a welded assembly made in ss202 grade having dis. 12±0.04 as per is: 1762. Overall Dimension (in CM) 112W x 60D x 35.1H	No	





# सम्मान आपके विश्वास का


7	VICE PRINCIPAL ROOM	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made Executive desk with ERU (2350X2350X750) as per approved drawing and design/ specification of Engineer In-Charge. Overall dimensions: 1650MM X 750MM (LXBXH) ERU SIZE: 900 X 500 X 750MM (LXBXH). Primary Work Surface:-Made up of 25 MM Thk- one sided pre-laminated board confirming of IS-14587:1998 with 0.4mm PVC membrane pressed on top. Soft Closing access flap with in -build power box are provided on work surface for wire management. Secondary Work Surface:-Made up of 25 MM Thk- one sided pre-laminated board confirming of IS-14587:1998 with 0.4mm PVC membrane Pressed on top. Modesty Panel:- Made up of 25 MM Thk- one sided pre-laminated board confirming of IS-14587:1998 with 0.4mm PVC membrane pressed on top. Under Strcuture:- Made up of 25 MM Thk pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, edge banded with matching with 2MM thk pvc lippng. Integrated Pedestal:- Made up of 25 MM Thk pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, edge banded with matching with 2MM thk pvc lippng. Drawers front are made up of 25mm thk Mdf- one side pre-laminated board confirming of IS-14587:1998 with 0.4mm PVC membrane pressed on the top. Pedestall Construction is BOX-BOX-FILE type which uses powder coated 400mm long metal. Penal drawer slides. Drawer Extension is 325 mm drawer have a soft closing & anti slam mechanism. Handles are provided for ease of opening. Pedestal is provided with lock for security.	No	
8		Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made Back unit as per approved drawing and design/ specification of Engineer In-Charge. Top panel is Made of 25mm Thick Prelaminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping for body panels like side, bottom, back and shelves. Shutters are made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top. Shutters have a soft closing & anti slam mechanism. Handles are provided for ease of opening. Storage is provided with lock for security. Made of 25mm thick MDF one side pre-laminate board confirming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top. Overall dimension: 1650W X	No	





# सम्मान आपके विश्वास का


	T			T	
	500D X 750H mm.				
9	Providing High Back Chair. Dimensions: Seat - 49cm (W) x 50cm (D) Back - 49cm (W) x 84cm (H) Pedestal - 66 ± 0.5cm pitch-centre dia. Base: The 640mm dia (26 inches) five pronged base is made out of GF nylon - Reinforced with bottom ribbing for additional buttress and strength. Tested prudently and rigorously as per ANSI/BIFMA X5.1-2011 General Purpose Office Chair Standards. Castors - Twin Castors 50mm dia castors compling to ANSI / BIFMA X 5.1 - 2002 . Gaslift - Class 4 tested -ANSI BIFMA performance standards. Seat: It is made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Imported T-nuts and revited in to the wood . Upholstery: Cushion with pre moulded foam of 50 - 60 density in the shape of plywood. Density 52 kg/m3. Hardness 12.6kgf at 25%. Mechanism: This mechanism is manufactured out of cold Rolled Carbon Steel IS 513-1994 Sheets,The steel components are manufactured with highly precision tools For accuracy in matching other parts for smooth functioning. The steel components are fabricated by using Co2 welding process for giving uniform surface finish with higher tensile strength. Springs are made out of Grade II material. Composite release levers for locking mechanism & Gas lift height adjustment. Tension control is below Seat. Back: Polypropelene Back Frame is inserted with Thinner Mesh & Adjustable Lumbar Support. Armrest: Moulded polyurethene Arms confirming to IS 7078 with steel inserts for long life. One way adjustable - Height Adjustable. Fabric: Seat is aduly upholstered with Fabric (High Back)		No		
10	Providing Mid Back Chair. Dimensions: Seat - 49cm (W) x 50cm (D). Back - 49cm (W) x 66cm (H). Pedestal - 66 ± 0.5cm pitch-centre dia. Base: The 640mm dia (26 inches) five pronged base is made out of GF nylon - Reinforced with bottom ribbing for additional buttress and strength. Tested prudently and rigorously as per ANSI/BIFMA X5.1-2011 General Purpose Office Chair Standards. Castors - Twin Castors 50mm dia castors compling to ANSI / BIFMA X 5.1 - 2002. Gaslift - Class 4 tested -ANSI BIFMA performance standards. Seat: It is made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Imported T-nuts and revited in to the wood . Upholstery: Cushion with pre moulded foam of 50 - 60 density in the shape of plywood. Density 52 kg/m3. Hardness 12.6kgf at 25%. Mechanism: This mechanism is manufactured out of cold Rolled Carbon Steel IS 513-1994 Sheets,The steel components are manufactured with highly precision tools For accuracy in matching other parts for smooth functioning. The steel components are fabricated by using Co2 welding process for giving uniform surface	3	Nos		





# सम्मान आपके विश्वास का


		finish with higher tensile strength. Springs are made out of Grade II material. Composite release levers for locking mechanism & Gas lift height adjustment. Release lever mechanism for Locking and Gas lift height adjustment. Tension control is below Seat. Back: Polypropelene Back Frame is inserted with Thinner Mesh & Adjustable Lumbar Support  Armrest: Moulded polyurethene Arms confirming to IS 7078 with steel inserts for long life. One way adjustable - Height Adjustable. Fabric: Seat is duly upholstered with approved fabric			
11	FACULTY ROOM	Providing, supplying and installation of CUBICLE FOR Faculty Room. Dimension: 1500W X 600D X 750HT TABLE TOP WITH 1500MM HT PARTITION. SIDE COMP STORAGE 2D1F: 900 X 450 X 750HT. MOBILE PEDESTAL 2D1F: 400W X 450D X 600HT. Specifications: Table top: Made of 25mm thick prelaminated particle board of approved shade. All the edges of cabin table surface shall be provided with machine pressed 2mm thick imported PVC lipping glued with hotmelt Eva glue free from any VOC. Modesty Panel: 18mm thick 450mm ht plt modesty panel is considered. Wich is machine pressed 2mm thick imported PVC lipping glued with hotmelt Eva glue free from any VOC. Under Structure Support: 25mm thick PLT gable end. Wire Management: 300mm Anodised flip up Made of Aluminum in anodised finish, which has soft closure and three way wire acess & PVC cable dump. Vertebra for wire entry. Side Composite Storage 2D1F: Storage is made of 25mm thick top, 18mm thick prelaminated particle board of approved shade confirming to E1 norms. All the edges of stoarge surface shall be provided with machine pressed 2mm thick imported PVC lipping glued with hotmelt Eva glue free from any VOC. with openable shutters, adjustable shelves, auto closing hinges, locking mechanism, finger groove handles and 2D+1F Drawer unit with Regular locking system.	5	Nos	
12		Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality certified manufacturer, factory made low height storage as per approved drawing and design/ specification of Engineer In-Charge. Overall dimensions: (900 x 450 x 1200) (W x D x H)Body:Body is made from 18mm PLB with all the edges sealed with 0.8 mmthick PVC Edgeband. The Back panel is 9mm White PLT. The entire constructionis ready to assemble unit and is assembled with suitable KD fittings. The shelves and separator panels (if available) is made from 18 mm white PLT and edges are sealed with 0.8 mm edge band. The bottom shelf is fixed andother shelves have one step adjustment for optimizing the space. Doors: Door Panels ae made from 18 mm PLB with 2 mm Edge band on all edges ad a flush Plastic	10	Nos	





# सम्मान आपके विश्वास का


handle is fitted vertically at the center of the door. Thehinge door has suitable hinges and HDU is fitted with an adjustable fitting for height adjustment. The SDU runs in a PVC track mounted on the TOP and Bottom panel of the Body.HDU has a three point lock and SDU has a push type lock.All the storages are fitted with a 6 mm leveler at bottom for leveling.		
Providing High Back Chair Dimension: Seat - 51.0 ± 2cm (W) x 43.5 ± 2cm (D).Back - 51.0 ± 2cm (W) x 58.0 ± 2cm (H).Pedestal - 66 ± 0.5cm pitch-centre dia. Material: Base: The 640mm dia (26 inches) five pronged base is made out of GF nylon - Reinforced with bottom ribbing for additional buttress and strength. Tested prudently and rigorously as per ANSI/BIFMA X5.1-2011 General Purpose Office Chair Standards. Castors - Twin Castors 50mm dia castors compling to ANSI / BIFMA X 5.1 - 2002 Seat: Seat & Back are duly upholstered with approved fabric/mesh. Specially designed mesh with Global standards - IS 20 D- material-Polyester & Polyelastomer blend in a ratio of 54% & 46%. GSM- 340. Abrasion resistance - confirming to ISO 12945-2. Colour fastness confirming to AATCC 16:2004 standards - 4.5. Fabric: 100% polyester-340-350 GSM gradeAbrasion- > 50000 cycles confirming to ISO 12945-2. No flaming or progressive smouldering within one hour of placement of the cigarettes. Fire rated fabric confirming to BS EN 1021 (match), IS 15061-2002. Cushion with pre moulded foam of 50 - 55 density in the shape of plywood. Density 52 kg/m3, Hardness - 20-28 kgf at 50%- Ply wood: 12 mm thick 8-9 ply. fire retardant type exterior grade phenol formaldehyde bonded, hot pressed ply conforming to IS303. The ply wood is fitted with metal "T" nut to have metal to metal. Back: Mesh fabric used for back upholstery With Unique Dynaflex Two Piece Back Construction, Dya Flex provides a comfotable cushioning that stimulates the spine & abdominal muscles to promote a healthy posture & back. Inbuilb body flex lumbar support that synchronises perfectly with your back in all positions of recline. Armrest: Moulded polyurethene Arms confirming to IS 7078 with steel inserts for long life. One way adjustable - Height Adjustable. Mechanism: Distinctively and characteristically designed tilt mechanism offering a very smooth and fluidic reclining motion with tension adjust knob and importantly offering seat to back recline ratio of 3:7, optimal for good b	Nos	





# सम्मान आपके विश्वास का


14		been equipped with 4 locking positions, back rest "Return Prevention" function. Gaslift: Class 4 tested -ANSI BIFMA performance standards. The pneumatic height adjustment has an adjustment stroke of 10.0 ± 0.3 cm. Pedestal: injection moulded in black 30% glass-filled nylon and fitted with 5 nos. 60mm twin wheel castors. The pedestal pitch-center dia is Ø 66.4 ± 0.5 cm. The twin wheel castors are injection moulded in black nylon.  Providing Visitor Chair. Dimension: Seat - 55cm (W) x 41cm (D). Back - 52cm (W) x 61cm (H). Frame: The frame is made out of 25.4mm tube of 16 gauge tube confirming to IS-7138-1973, Welded by Co2 welding process for uniform surface finish and higher tensile strength perforation on the sheet is of uniform 2.5mm dimension and gives good ventilation. Powder Coating: Thermo set powder coating epoxy polyester hybrids of harness (pencil) H.B.74 and impact resistant (in lab) 60-160 kgs cm and to a thickness of 40-50 microns is carried out of 7 step pretreatment process. Seat is made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Japanese Nagayama-nuts and revited in to the wood. Fastners: High quality metal screws and tension fasteners conforming to Hardness 38-44 and tensile strength – 1300 n/mm. IS 1363-1967. Upholstery: Cushion with pre moulded foam of 50 - 60 density in the shape of plywood. Density - 52 kg/m3. Hardness - 12.6kgf at 25%. Armrest: This arms are made out of polypropylene injection moulding component which offers the smooth finishes and Scratch resistance. Back: Mesh Back on Frames. Seat: Seat are duly upholstered with approved fabric	10	Nos	
15	ADMINISTRATION ROOM	Providing, supplying and Installation of L-SHAPED WORKSTATION. Providing, supplying and placing in position of ISO 9001:2015,ISO 14001:2015, OHSAS 45001:2018/18001:2007, BIFMA registration certificate and Green Guard Certified manufacturer "L-Shaped Workstations" with following specifications: Dimension: 1500W x 1500W X 600D X 750HT TABLE TOP WITH 1200MM HT PARTITION Specifications: Table top: Made of 25mm thick prelaminated particle board of approved shade. All the edges of workstation surface shall be provided with machine pressed 2mm thick imported PVC lipping glued with hotmelt Eva glue free from any VOC. Partition: Height 1200mm frame with top and sides in Aluminium trims and junctions with diecast caps. Partition is made of 50mm thick 1200mm ht NEO based system with fabric above and lamiante below the table top.Fabric magnetic and glass markers are provided for each workstation. Under Structure Support: 18mm thick PLT gable end. Wire Management: Raceways are provided ATT only main spine and skirting on main/return (inside) spine for power and data cable management. 65mm dia grommet hole is provided for wire access.	4	Nos	





# सम्मान आपके विश्वास का


16	Providing, supplying and installation of MOBILE PEDESTAL. Providing, supplying and placing in position of ISO 9001:2015,ISO 14001:2015, OHSAS 45001:2018/18001:2007, BIFMA registration certificate and Green Guard Certified manufacturer "Mobile Pedestal " with following specifications: Dimension: 400W X 450D X 600HT . Specification: Pedestal are made of 18mm thick prelaminated particle board of approved shade confirming to E1 norms. All the edges of pedeatal surface shall be provided with machine pressed 2mm thick imported PVC lipping glued with hotmelt Eva glue free from any VOC. With 2 drawer units and 1 filling folder unit. The drawer units are provided with finger groove handle and suitable locks.
17	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality certified manufacturer, factory made low height storage as per approved drawing and design/ specification of Engineer In-Charge. Overall dimensions: (900X600X750) (W x D x H)Body :Body is made from 18mm PLB with all the edges sealed with 0.8 mm thick PVC Edge band. The Back panel is 9mm White PLT. The entire construction is ready to assemble unit and is assembled with suitable KD fittings. The shelves and separator panels (if available) is made from 18 mm white PLT and edges are sealed with 0.8 mm edge band. The bottom shelf is fixed and other shelves have one step adjustment for optimizing the space. Doors: Door Panels is made from 18 mm PLB with 2 mm Edge band on all edges ad a flush Plastic handle is fitted vertically at the center of the door. The hinge door has suitable hinges and HDU is fitted with an adjustable fitting for height adjustment. The SDU runs in a PVC track mounted on the TOP and Bottom panel of the Body. HDU has a three point lock and SDU has a push type lock. All the storages are fitted with a 6 mm leveler at bottom for leveling.
18	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality certified manufacturer, factory made low height storage as per approved drawing and design/ specification of Engineer In-Charge. Overall dimensions: (900X450X1200) (W x D x H) Body:Body is made from 18mm PLB with all the edges sealed with 0.8 mm thick PVC Edge band. The Back panel is 9mm White PLT. The entire construction is ready to assemble unit and is assembled with suitable KD fittings. The shelves and separator panels ( if available ) is made from 18 mm white PLT and edges are sealed with 0.8 mm edge band. The bottom shelf is fixed and other shelves have one step adjustment for optimizing the space. Doors:  Door Panels are made from 18 mm PLB with 2





# सम्मान आपके विश्वास का


		mm Edge band on all edges ad a flush Plastic handle is fitted vertically at the center of the door. The hinge door has suitable hinges and HDU is fitted with an adjustable fitting for height adjustment. The SDU runs in a PVC track mounted on the TOP and Bottom panel of the Body. HDU has a three point lock and SDU has a push type lock. All the storages are fitted with a 6 mm leveler at bottom for leveling.			
20	RECREATION ROOM	Providing Mid Back Chair. Dimensions: Seat -49.5cm (W) x 41.5cm (D). Back - 49.5cm (W) x 57cm (H). Base: The 640mm dia (26 inches) five pronged base is made out of GF nylon - Reinforced with bottom ribbing for additional buttress and strength. Tested prudently and rigorously as per ANSI/BIFMA X5.1-2011 General Purpose Office Chair Standards. Castors - Twin Castors 50mm dia castors compling to ANSI / BIFMA X 5.1 - 2002. Gaslift - Class 4 tested -ANSI BIFMA performance standards. Upholstery: Seat Cushion with pre moulded foam of 50 - 60 density. Density - 52 kg/m3. Hardness - 12.6kgf at 25%. Mechanism: Self Calibrating Multilock Mechansim Tested as per BIFMA Standards. Back: Back Frame is inserted with Mesh & Adjustable Lumbar Support. Tension control: Tension control is below the Seat. Armrest: Moulded polyurethene Arms confirming to IS 7078 with steel inserts for long Moulded self skinned polyurethene Arms confirming to IS 7078 with steel inserts for long ifie. Two way adjustable - Height & Swivel Adjustable. Fabric: Seat is duly upholstered with approved fabric Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made 3 Seater sofa as per approved drawing and design/ specification of Engineer In-Charge. It is made up of pu foam in density 28+2kg/cu.mtr with additional top layer of supersoft pu foam density 32+- 2kg/cu mtr, upholstered with fabric or leatherite. It is made up of pu foam in density 28+2kg/cu.mtr with 2 additional top layer of supersoft pu foam density 32+- 2kg/cu mtr, upholstered with fabric or leatherite. It is made up of 1.2+-0.1cm thk hot pressed plywood (moisture resistence & termite proof as per is: 303) & pinewood of cross section devoid of major knots & suffects 6 nos. Per seat & 3.8mm dia zigzag spring assembly is mounted over understructure for cushioning purpose. It is a welded assembly	2	Nos	
21		Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made	2	Nos	





# सम्मान आपके विश्वास का


		centre table as per approved drawing and design/ specification of Engineer In-Charge. It is 10 ±0.3 mm thick black tinted toughened glass uv glued with bushes made in ss 202 grade for fixing with understructure. side & center table understructure: it is a welded assembly made in ss202 grade having dis. 12±0.04 as per is: 1762. Overall Dimension (in CM) 112W x 60D x 35.1H				
22		Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made corner table as per approved drawing and design/specification of Engineer In-Charge. It is 10 ±0.3 mm thick black tinted toughened glass uv glued with bushes made in ss 202 grade for fixing with understructure. side & center table understructure: it is a welded assembly made in ss202 grade having dis. 12±0.04 as per is: 1762. Overall Dimension (in CM) 60W x 60D x 35.1H	1	No		
23	J	Providing, supplying and installation of METAL FULL HEIGHT STORAGE WITH GLASS DOOR. SIZE: 900 W X 400D X 1850H. Specification: Made of CRCA sheet confirming to IS 513: (2008), IS 13871:1993. All metal parts are duly powder coated to a thickness of 50-60 microns confirming to ASTMB – 117, ISO – 1520 and ISO – 1518 & ASTMD - 2794. The powder coating to be be done with NANO Ceramic coating. Provided with suitable lock.	4	Nos	N	
24		Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality certified manufacturer, factory made low height storage as per approved drawing and design/ specification of Engineer In-Charge. Overall dimensions: (1200 x 450 x 1200) (W x D x H)Body:Body is made from 18mm PLB with all the edges sealed with 0.8 mm thick PVC Edge band. The Back panel is 9mm White PLT. The entire construction is ready to assemble unit and is assembled with suitable KD fittings. The shelves and separator panels ( if available ) is made from 18 mm white PLT and edges are sealed with 0.8 mm edge band. The bottom shelf is fixed and other shelves have one step adjustment for optimizing the space. Doors: Door Panels ae made from 18 mm PLB with 2 mm Edge band on all edges ad a flush Plastic handle is fitted vertically at the center of the door. The hinge door has suitable hinges and HDU is fitted with an adjustable fitting for height adjustment. The SDU runs in a PVC track mounted on the TOP and Bottom panel of the Body. HDU has a three point lock and SDU has a push type lock. All the storages are fitted with a 6 mm leveler at bottom for leveling.	8	Nos		





# सम्मान आपके विश्वास का


25		Providing Visitor Chair. Dimension: Seat - 55cm (W) x 41cm (D). Back - 52cm (W) x 61cm (H) Frame: The frame is made out of 25.4mm tube of 16 gauge tube confirming to IS-7138-1973, Welded by Co2 welding process for uniform surface finish and higher tensile strength perforation on the sheet is of uniform 2.5mm dimension and gives good ventilation. Powder Coating: Thermo set powder coating epoxy polyester hybrids of harness (pencil) H.B.74 and impact resistant (in Iab) 60-160 kgs cm and to a thickness of 40-50 microns is carried out of 7 step pretreatment process. Seat is made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Japanese Nagayama-nuts and revited in to the wood. Fastners: High quality metal screws and tension fasteners conforming to Hardness 38-44 and tensile strength – 1300 n/mm. IS 1363-1967. Upholstery: Cushion with pre moulded foam of 50 - 60 density in the shape of plywood. Density 52 kg/m3. Hardness 12.6kgf at 25%. Armrest: This arms are made out of polypropylene injection moulding component which offers the smooth finishes and Scratch resistance. Back: Mesh Back on Frames. Seat: Seat are duly upholstered with approved fabric	26	Nos	
26	DINING ROOM	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made 4 seater table as per approved drawing and design/ specification of Engineer In-Charge. Work-Surface: PU painted: 25mm thick (+). Base Material- 25mm MDF board. On top PU painting of Minimum 2H hardness with 75% gloss as per colour chart, Combination colour Graphics on the centre. Colour as per colour chart. Brown laminate on bottom. Specially profiled edge for comfort. Understructure: Bend pipe understructure of MS. Powder coated. Pipe dia 38mm, 2mm thk. Understructure fitted with top by SS machine screws. Legs: MS Powder coated legs for PU top & SS legs for membrane top. 38mm dia pipe legs are fixed with understructure and table top. Glide: Plastic Glide fixed at the understructure to prevent the damage of table top during stacking. Over all Dimensions:-1135W x 1175D x 750H mm	12	Nos	
27		Providing Café Chair. Dimensions:  1) Chair height: -810 mm  2) Seat height: -450 mm  3) Seat width: -445 mm  4) Back width: -450 mm	48	Nos	





# सम्मान आपके विश्वास का


	5) 1 111 110			T	
	5) Leg width :- 460 mm				
	6) Seat depth: - 400 mm. Material: Chair is molded from GF 20% Polypropylene conforming to ASTM D 638 STD & Complying to ROHS. Seat & back design will be integrated as a single unit. The chair shall be injection molded with 2500 tonnage press. The chair should weigh about 3.9 kg. The back will be designed with triangular structural trusses & narrowed at the top to provide strength & comfort to the chair with good air circulation to the user. The back should be designed to provide ergonomic comfort with precise curvature to offer good lumbar support. The seat profile should be designed with water fall to provide necessary comfort in popliteal region. The design of the chair will be provided with four U shaped legs ensuring good strength to the chair. Chair to be tested for minimum load bearing capacity of 180 KG. The design have the capability to stack.				
	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO	2	Nos		
RECEPTION	14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made 3 Seater sofa as per approved drawing and design/ specification of Engineer In-Charge. It is made up of pu foam in density 28+2kg/cu.mtr with additional top layer of supersoft pu foam density 32+-2kg/cu.mtr with fabric or leatherite. It is made up of pu foam in density 28+-2kg/cu.mtr with 2 additional top layer of supersoft pu foam density 32+-2kg/cu.mtr with 2 additional top layer of supersoft pu foam density 32+-2kg/cu.mtr with 2 additional top layer of supersoft pu foam density 32+-2kg/cu mtr, upholstered with fabric or leatherite. It is made up of 1.2+-0.1cm thk hot pressed plywood (moisture resistence & termite proof as per is: 303) & pinewood of cross section devoid of major knots & & surf defects 6 nos. Per seat & 3.8mm dia zigzag spring assembly is mounted over understructure for cushioning purpose. It is a welded assembly made of ss (grade ss – 202) tube & plate with plastic endcap. Width:-206.0cm. Depth:- 90.5cm. Height:- 85.5cm. Seat hgt:- 45.0cm (sh).				
	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL) , indoor air quality, IGBC certified manufacturer factory made centre table as per approved drawing and design/ specification of Engineer In-Charge. It is 10 $\pm$ 0.3 mm thick black finted toughened glass uv glued with bushes made in ss 202 grade for fixing with understructure. side & center table understructure: it is a welded assembly made in ss202 grade having dis. 12 $\pm$ 0.04 as per is: 1762. Overall Dimension (in CM) 112W x 60D x 35.1H	2	Nos		
		molded from GF 20% Polypropylene conforming to ASTM D 638 STD & Complying to ROHS. Seat & back design will be integrated as a single unit. The chair shall be injection molded with 2500 tonnage press. The chair should weigh about 3.9 kg. The back will be designed with triangular structural trusses & narrowed at the top to provide strength & comfort to the chair with good air circulation to the user. The back should be designed to provide ergonomic comfort with precise curvature to offer good lumbar support. The seat profile should be designed with water fall to provide necessary comfort in popliteal region. The design of the chair will be provided with four U shaped legs ensuring good strength to the chair. Chair to be tested for minimum load bearing capacity of 180 KG. The design have the capability to stack.  Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made 3 Seater sofa as per approved drawing and design/ specification of Engineer In-Charge. It is made up of pu foam in density 28+2kg/cu.mtr with additional top layer of supersoft pu foam density 32+- 2kg/cu upholstered with fabric or leatherite. It is made up of pu foam in density 32+- 2kg/cu mtr , upholstered with fabric or leatherite. It is made up of 1.2+-0.1cm this hot pressed plywood (moisture resistence & termite proof as per is: 303) & pinewood of cross section devoid of major knots & & surf defects 6 nos. Per seat & 3.8mm dia zigzog spring assembly made of ss (grade ss - 202) tube & plate with plastic endcap. Width:-206.0cm. Depth:- 90.5cm. Height:- 85.5cm. Seat hgt:- 45.0cm (sh).  Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made centre t	6) Seat depth: - 400 mm. Material: Chair is molded from GF 20% Polypropylene conforming to ASTM D 638 STD & Complying to ROHS. Seat & back design will be integrated as a single unit. The chair shall be injection molded with 2500 tonnage press. The chair should weigh about 3.7 kg. The back will be designed with triangular structural trusses & narrowed at the top to provide strength & comfort to the chair with good air circulation to the user. The back should be designed to provide ergonomic comfort with precise curvature to offer good lumbar support. The seat profile should be designed with water fall to provide necessary comfort in popliteal region. The design of the chair will be provided with four U shaped legs ensuring good strength to the chair. Chair to be tested for minimum load bearing capacity of 180 KG. The design have the capability to stack.  Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality, IGBC certified manufacturer factory made 3 Seater sofa as per approved drawing and design/ specification of Engineer In-Charge. It is made up of pu foam in density 28+-2kg/cu.mtr with additional top layer of supersoft pu foam density 32+- 2kg/cu, upholstered with fabric or leatherite. It is made up of pu foam in density 32+- 2kg/cu mtr with 2 additional top layer of supersoft pu foam density 32+- 2kg/cu mtr with 2 additional top layer of supersoft pu foam density 32+- 2kg/cu mtr with 2 additional top layer of supersoft pu foam density 32+- 2kg/cu mtr with 2 additional top layer of supersoft pu foam density 32+- 2kg/cu mtr with 2 additional top layer of supersoft pu foam density 32+- 2kg/cu mtr with 2 additional top layer of supersoft pu foam density 32+- 2kg/cu mtr upholstered with fabric or leatherite. It is made up of 1:2+-0.1cm thk hot pressed plywood (moisture resistence & termite proof as per is 303, & pinewood of cross section devoid of majo	6) Seat depth: - 400 mm. Material: Chair is molded from GF 20% Polypropylene conforming to ASTM D 638 STD & Complying to ROHS. Seat & back design will be integrated as a single unit. The chair shall be injection molded with 2500 tonnage press. The chair should weigh about 3.9 kg. The back will be designed with triangular structural trusses & narrowed at the top to provide strength & comfort to the chair with good air circulation to the user. The back should be designed to provide ergonomic comfort with precise curvature to offer good lumbar support. The seat profile should be designed with water fall to provide necessary comfort in poplited region. The design of the chair will be provided with four U shaped legs ensuring good strength to the chair. Chair to be tested for minimum load bearing capacity of 180 KG. The design have the capability to stack.  Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), Indoor air quality, IGBC certified manufacturer factory made 3 Seater sofa as per approved drawing and design/ specification of Engineer In-Charge. It is made up of pu foam in density 28+-2kg/cu ruth with additional fop layer of supersoft pu foam density 32+- 2kg/cu mtr. with additional fop layer of supersoft pu foam density 32+-2kg/cu mtr with 2 additional top layer of supersoft pu foam density 32+- 2kg/cu mtr. hynolstered with fabric or leatherite. It is made up of 12*-0.1cm thick hot pressed plywood (moisture resistence & termite proof as per is: 3031 & pinewood of cross section devoid of major knots & & surf defects 6 nos. Per seat & 3.8mm dia zigarg sping assembly made of ss (grade ss = 202) tube & plate with plastic endcap. Width: 206.0cm. Depth: 90.5cm. Height: 85.5cm. Sect hgt: 45.0cm (sh).  Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency). BiFMA (membership),	6) Seat depth: - 400 mm. Material: Chair is molded from GF 20% Polypropylene conforming to ASTM D 438 STD & Complying to ROHS. Seat & back design will be integrated as a single unit. The chair shall be injection molded with 2500 tonnage press. The chair should weigh about 3.9 kg. The back will be designed with lifenguis drivicural fuses & narrowed at the top to provide strength & comfort to the chair with good air circulation to the user. The back should be designed to provide ergonomic comfort with precise curvature to offer good lumbar support. The seat profile should be designed with water fall to provide necessary comfort in popiliteal region. The design of the chair will be provided with four U shapped legs ensuring good strength to the chair. Chair to be tested for minimum load bearing capacity of 180 KG. The design have the capability to stack.  Providing. Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency). BIRMA (membership). AIOTA. Green guard (by UL), indoor air quality. ISBC certified manufacturer factory made 3 Seater sofa as per approved drawing and design/specification of Engineer in-Charge. It is made up of up to form in density 284-2kg/cu. untry with additional top tayer of supersoft pu foam density 324-2kg/cu. upholstered with fabric or leatherite. It is made up of 124-01, Lorn this hat pressed plywood (moistrue resistence & termile proof as per is 303). & pinewood of cross section devoid of major knots & surf defects 4 nos. Per seat & slamm dia zigzag spring assembly is mounted over undestructure for cushioning purpose. It is a welded assembly made of s (grade ss – 202) tube & plate with plastic endacap. Width: 206.0cm. Depth: 90.5cm. Height: 85.5cm. Seat hgt: 45.0cm (sh).  Providing Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 45001:2018, ISO 45001:2015, ISO 50001:2018, ISO 45001:2016, ISO 50001:2018, ISO 45001:2016, ISO 50001:2018, ISO 45001:2016, ISO 50001:2016, ISO 50





# सम्मान आपके विश्वास का


30	Providing, Supplying and installation of ISO 9001:2015, ISO 50001:2018, ISO 45001:2018, ISO 14001:2015 (all ISO must be from NABCB accredited agency), BIFMA (membership), AIOTA, Green guard (by UL), indoor air quality certified manufacturer, factory made work table as per approved drawing and design/specification of Engineer In-Charge. Overall dimensions: (1200 x 600 x 740) (W x D x H)TABLE TOP: The panel is made from 25 ±0.5 mm THK Pre Laminated Boards as per IS-12823 with 2 mm Thick PVC beading on all sides. SIDE PANEL: The panel is made from 25 ±0.5 mm THK Pre Laminated Boards as per IS-12823 with 2 mm Thick PVC beading on user sides and 0.8 mm on Top & Bottom side. The side panels have 2 glide screws each for leveling of the desk. MODESTY PANEL: The panel is made from 18 ±0.5 mm THK Pre Laminated Boards as per IS-12823 with 0.8 mm Thick PVC beading on all edges.
CLASSROOM	Providing, supplying and installation of MOBILE PEDESTAL Providing, supplying and placing in position of ISO 9001:2015,ISO 14001:2015, OHSAS 45001:2018/18001:2007, BIFMA registration certificate and Green Guard Certified manufacturer "Mobile Pedestal " with following specifications: Dimension: 400W X 450D X 600HT . Specification: Pedestal are made of 18mm thick prelaminated particle board of approved shade confirming to E1 norms. All the edges of pedeatal surface shall be provided with machine pressed 2mm thick imported PVC lipping glued with hotmelt Eva glue free from any VOC. With 2 drawer units and 1 filling folder unit. The drawer units are provided with finger groove handle and suitable locks.
32	Providing Mid Back Chair. Dimensions: Seat - 49.5cm (W) x 41.5cm (D). Back - 49.5cm (W) x 57cm (H). Base: The 640mm dia (26 inches) five pronged base is made out of GF nylon – Reinforced with bottom ribbing for additional buttress and strength. Tested prudently and rigorously as per ANSI/BIFMA X5.1-2011 General Purpose Office Chair Standards. Castors - Twin Castors 50mm dia castors compling to ANSI / BIFMA X 5.1 – 2002. Gaslift - Class 4 tested - ANSI BIFMA performance standards. Upholstery: Seat Cushion with pre moulded foam of 50 - 60 density. Density – 52 kg/m3. Hardness – 12.6kgf at 25%. Mechanism: Self Calibrating Multilock Mechansim Tested as per BIFMA Standards. Back: Back Frame is inserted with Mesh & Adjustable Lumbar Support. Tension control: Tension control is below the Seat. Armrest: Moulded polyurethene Arms confirming to IS 7078 with steel inserts for long Moulded self skinned polyurethene Arms confirming to IS 7078 with steel inserts for long iffe. Two way adjustable - Height & Swivel Adjustable. Fabric: Seat is duly upholstered with approved fabric





# सम्मान आपके विश्वास का


33	Providing Discussion Table. Dimension: 1050mm Dia x 750H. Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges (Straight/ Reverse waterfall edge). Support: End Legs: The leg is slanted towards the corner of the table. This results in better stability along the length and depth. The die-cast connector and die-cast leg damped vibration results in more stability. Non welded structure results in better modularity and easy cope with current scenario of changing wok environments. The PVC padding under the leg gives a firm grip over the floor to the Furniture. Due to the inner side assembly of leg at the end it gives more space to the user	18	Nos	
34	Providing Visitor Chair. Dimension: Seat - 55cm (W) x 41cm (D).Back - 52cm (W) x 61cm (H) Frame: The frame is made out of 25.4mm tube of 16 gauge tube confirming to IS-7138-1973, Welded by Co2 welding process for uniform surface finish and higher tensile strength perforation on the sheet is of uniform 2.5mm dimension and gives good ventilation. Powder Coating: Thermo set powder coating epoxy polyester hybrids of harness (pencil) H.B.74 and impact resistant (in Iab) 60-160 kgs cm and to a thickness of 40-50 microns is carried out of 7 step pretreatment process. Seat is made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Japanese Nagayama-nuts and revited in to the wood. Fastners: High quality metal screws and tension fasteners conforming to Hardness 38-44 and tensile strength – 1300 n/mm. IS 1363-1967. Upholstery: Cushion with pre moulded foam of 50 - 60 density in the shape of plywood. Density 52 kg/m3. Hardness 12.6kgf at 25%. Armrest: This arms are made out of polypropylene injection moulding component which offers the smooth finishes and Scratch resistance. Back: Mesh Back on Frames. Seat: Seat are duly upholstered with approved fabric	54	Nos	





# सम्मान आपके विश्वास का


35	AUDITORIUM	Providing Visitor Chair. Dimension: Seat - 55cm (W) x 41cm (D).Back - 52cm (W) x 61cm (H) Frame: The frame is made out of 25.4mm tube of 16 gauge tube confirming to IS-7138-1973, Welded by Co2 welding process for uniform surface finish and higher tensile strength perforation on the sheet is of uniform 2.5mm dimension and gives good ventilation. Powder Coating: Thermo set powder coating epoxy polyester hybrids of harness (pencil) H.B.74 and impact resistant (in lab) 60-160 kgs cm and to a thickness of 40-50 microns is carried out of 7 step pretreatment process. Seat is made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Japanese Nagayama-nuts and revited in to the wood . Fastners:High quality metal screws and tension fasteners conforming to Hardness 38-44 and tensile strength – 1300 n/mm. IS 1363-1967. Upholstery: Cushion with pre moulded foam of 50 - 60 density in the shape of plywood. Density 52 kg/m3. Hardness 12.6kgf at 25%. Armrest: This arms are made out of polypropylene injection moulding component which offers the smooth finishes and Scratch resistance. Back: Mesh Back on Frames. Seat: Seat are duly upholstered with approved fabric	6	Nos	
36	J	Providing, supplying and installation of Metal Book Rack Single Sided Main Unit. Main Unit: 1095W X 370D X 1950HT. Addon Unit: 900W X 370D X 1950HT. Specification: Upright - MS 40 x 40 x 2 Tube. Side Profile - MS Powder coated metal profile of 1.6mm with Acrylic pouch. Band: Made of MS Powder coated metal 1.6mm. Shelves - Made of MS powder coated metal 1.2mm, supported with brackets. Back Panel - Made of MS Powder coted metal 1 mm. Top panel, Side Panel & Bottom Panle - Made of 18mm thk PLT.	2	Nos	
37	LIBRARY	Providing, supplying and installation of Metal Book Rack Single Sided Addon Unit. Main Unit: 1095W X 370D X 1950HT. Addon Unit: 900W X 370D X 1950HT. Specification: Upright - MS 40 x 40 x 2 Tube. Side Profile - MS Powder coated metal profile of 1.6mm with Acrylic pouch. Band: Made of MS Powder coated metal 1.6mm. Shelves - Made of MS powder coated metal 1.2mm, supported with brackets. Back Panel - Made of MS Powder coted metal 1mm. Top panel, Side Panel & Bottom Panle - Made of 18mm thk PLT.	8	Nos	
38		Providing, supplying and installation of Metal Book Rack Both Sided Main Unit. Main Unit: 1095W X 740D X 1950HT. Addon Unit: 900W X 740D X 1950HT. Specification: Upright - MS 40 x 40 x 2 Tube. Side Profile - MS Powder coated metal profile of 1.6mm with Acrylic pouch. Band: Made of MS Powder coated metal 1.6mm Shelves - Made of MS powder coated metal 1.2mm, supported with brackets. Back Panel - Made of MS Powder coted metal 1 mm. Top panel, Side Panel & Bottom Panle - Made of 18mm thk PLT.	2	Nos	





# सम्मान आपके विश्वास का

39	Providing, supplying and installation of Metal Book Rack Both Sided Addon Unit. Main Unit: 1095W X 740D X 1950HT. Addon Unit: 900W X 740D X 1950HT. Specification: Upright - MS 40 x 40 x 2 Tube. Side Profile - MS Powder coated metal profile of 1.6mm with Acrylic pouch. Band: Made of MS Powder coated metal 1.6mm. Shelves - Made of MS powder coated metal 1.2mm, supported with brackets. Back Panel - Made of MS Powder coted metal 1 mm. Top panel, Side Panel & Bottom Panle - Made of 18mm thk PLT.	8	Nos	
40	Providing, supplying and installation of LIBRARIAN TABLE. MAIN TABLE: 1200W X 750D X 750HT TABLE TOP. Specifications: Table top: Made of 25mm thick pre laminated particle board of approved shade. All the edges of cabin table surface shall be provided with machine pressed 2mm thick imported PVC lipping glued with hot melt Eva glue free from any VOC. Modesty Panel: 18mm thick 450mm ht plt modesty panel is considered. Which is machine pressed 2mm thick imported PVC lipping glued with hot melt Eva glue free from any VOC. Under Structure Support: 25mm thick PLT gable end.	1	No	
41	Providing Mid Back Chair. Dimensions:Seat -49.5cm (W) x 41.5cm (D). Back - 49.5cm (W) x 57cm (H). Base: The 640mm dia (26 inches) five pronged base is made out of GF nylon - Reinforced with bottom ribbing for additional buttress and strength. Tested prudently and rigorously as per ANSI/BIFMA X5.1-2011 General Purpose Office Chair Standards. Castors - Twin Castors 50mm dia castors compling to ANSI / BIFMA X 5.1 - 2002. Gaslift - Class 4 tested -ANSI BIFMA performance standards. Upholstery: Seat Cushion with pre moulded foam of 50 - 60 density. Density 52 kg/m3. Hardness 12.6kgf at 25%. Mechanism: Self Calibrating Multilock Mechansim Tested as per BIFMA Standards. Back: Back Frame is inserted with Mesh & Adjustable Lumbar Support. Tension control: Tension control is below the Seat. Armrest: Moulded polyurethene Arms confirming to IS 7078 with steel inserts for long Moulded self skinned polyurethene Arms confirming to IS 7078 with steel inserts for long life. Two way adjustable - Height & Swivel Adjustable. Fabric: Seat is duly upholstered with approved fabric		No	
42	Providing Discussion Table. Dimension: 1050mm Dia x 750H. Table Top: 25mm thick Pre laminate particle board with 2mm PVC edge lipping on all exposed edges (Straight/ Reverse waterfall edge) Support: End Legs: The leg is slanted towards the corner of the table. This results in better stability along the length and depth. The die-cast connector and die-cast leg damped vibration results in more stability. Non welded structure results in better modularity and easy cope with current scenario of changing work environments. The PVC padding under the leg gives a firm grip over the floor to the Furniture. Due to the inner side assembly of leg at the end it gives more space	3	Nos	






## सम्मान आपके विश्वास का

Honours your trust

	to the user			
	10 1110 0301			
44	Providing Visitor Chair. Dimension: Seat - 55cm (W) x 41cm (D).Back - 52cm (W) x 61cm (H) Frame: The frame is made out of 25.4mm tube of 16 gauge tube confirming to IS-7138-1973, Welded by Co2 welding process for uniform surface finish and higher tensile strength perforation on the sheet is of uniform 2.5mm dimension and gives good ventilation. Powder Coating: Thermo set powder coating epoxy polyester hybrids of harness (pencil) H.B.74 and impact resistant (in Iab) 60-160 kgs cm and to a thickness of 40-50 microns is carried out of 7 step pretreatment process. Seat is made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Japanese Nagayama-nuts and revited in to the wood. Fastners: High quality metal screws and tension fasteners conforming to Hardness 38-44 and tensile strength – 1300 n/mm. IS 1363-1967. Upholstery: Cushion with pre moulded foam of 50 - 60 density in the shape of plywood. Density 52 kg/m3. Hardness 12.6kgf at 25%. Armrest: This arms are made out of polypropylene injection moulding component which offers the smooth finishes and Scratch resistance. Back: Mesh Back on Frames. Seat: Seat are duly upholstered with approved fabric  Providing Conference Table (2400mm W x 1200mm D x 750mm H) Providing, supplying and placing in position of ISO 9001:2015/ISO 14001:2015, OHSAS 45001:2018/18001:2007, BIFMA registration certificate and Green Guard Certified manufacture "Conference Table" with following specifications: Dimension: 2400mm W x 1200mm D x 750mm H. Specifications: Table Top: Made of 25mm Thick OSL particle board with matching PVC edge banding. Reverse waterfall edge. Wire Management: Slide Connector provided on table top End Legs: The leg is slanted towards the corner of the table. This results in better stability along the length and depth. The diecast connector and die-cast leg damped vibration results in more stability. Non welded structure results in better modularity and easy cope with current scenario of changing work environments. The PVC padding under the leg giv	21	Nos	

Rupees in word (Total Amount):

GST will be paid separately at applicable rate





सम्मान आपके विश्वास का


(Signature of bidder with seal )\_\_\_\_\_

Honours your trust

Name		
Designation		

Note: The Bank reserves the right, not to execute all items of work nor to execute the full quantity of items, as mentioned in schedule of quantities.

# UCO BANK







सम्मान आपके विश्वास का

Honours your trust

# UCO BANK