

UCO BANK

Department of Information Technology

Request for Proposal (RFP) For "Request for Proposal (RFP) For Supply, Installation and Maintenance of E-Surveillance System at ATM Sites and **Branches in CAPEX Model**

RFP Ref. No.: DIT/BPR & BTD/OA/971/2017-17 dated 30/06/2017"

Additional Pre-Bid Responses/Clarifications to Queries raised by the Bidder(s), Amendments, Addendums and Corrigendum's

SL No	Page no	Section/Clause No.	Original RFP Clause	Description	Description of Query/ Clarification sought by Bidder	Bank Response
1	28 of Prebid responses uploaded on 05/08/2017	Annexure – IX	Functional and technical specifications (Esurveillance Systems)	Specifications of NVR: 1. NVR 4 Channel: Standard H.265, CPU - Corte A9 Dual Core, Resolution - 5MP,4MP,3MP,1080p,960P,720P @ 25 / 30P, output - HDMI x 1: 4K X 2K / 1920 X 1080 / 1280 x 1024. 4 channel POE, RCA ,Bit Rate (40 Mbps), Frame rate 1~25 FPS per channel/PAL, CBR/VBR Encode, Smart search, Digital Zoom, FF, Play, Pause, PTZ, Alarm out, TCP/IP, UDP, DHCP, DNS, PPPOE, DDNS, SATA x 1, 2, one , USB 3.0 2,one for mouse, another for USB backup device,	supply which can be given from the UPS directly. As we are going to provide battery back up of 12V 12AH ratings, we won't be able to provide battery backup to the NVR. We	Bank requires NVR with PoE. Bank may require 08 hrs of battery back-up including NVR with PoE at selected locations only. The commercials for the 08 hours backup is optional item and shall not be considered for calculation of TOC of the

	iPhone, Android, 10 user, Dual	use NVR(Without	
	Stream.	PoE) with IP	
		Camera.	
	2. NVR 8 Channel : Standard H.265,	Carriera.	
	CPU - Corte A9 Dual Core,		
	·		
	Resolution -		
	5MP,4MP,3MP,1080p,960P,720P		
	@ 25 / 30P, output - HDMI x 1 : 4K		
	X 2K / 1920 X 1080 / 1280 x 1024.		
	8 channel POE, RCA ,Bit Rate (
	80 Mbps), Frame rate 1~25 FPS		
	per channel/PAL, CBR/VBR		
	Encode, Smart search, Digital		
	Zoom, FF, Play, Pause, PTZ, Alarm		
	out, TCP/IP, UDP, DHCP, DNS,		
	PPPoE, DDNS, SATA x 1, 2, one ,		
	USB 3.0 2,one for mouse,		
	another for USB backup device,		
	iPhone, Android, 10 user, Dual		
	Stream.		
	3. NVR 16 Channel : Standard		
	H.265, CPU - Corte A9 Dual		
	Core, Resolution -		
	5MP,4MP,3MP,1080p,960P,720P		
	@ 25 / 30P, output - HDMI x 2 : 4K		
	X 2K / 1920 X 1080 / 1280 x 1024,		
	RCA ,Bit Rate (256 Mbps),		
	Frame rate 1~25 FPS per		
	channel/PAL, CBR/VBR Encode,		
	Smart search, Digital Zoom, FF,		
	Play, Pause, PTZ, Alarm out,		
	TCP/IP, UDP, DHCP, DNS, PPPoE,		
	DDNS, SATA x 8, 2, one , USB 3.0		
	2, one for mouse, another for USB		
	backup device, E-Sata - 1,		
	iPhone, Android, 10 user, Dual		
	Stream.		

2	30 of Prebid responses uploaded on 05/08/2017	Requirements		Scheduled locking of the main entry door to ATM lobby (For ATMs that are closed in the night)	Schedule locking of Main entry door), kindly give clarity on this application. Will there be a caretaker to close the shutter for these ATMs? If not, how do you propose to achieve this scheduled closing without caretaker at site?	The shutter for ATM will be closed manually by the caretaker.
3	12 of Pre-bid responses uploaded on 05/08/2017	Corrigendum	Point no.2	Bidder should be providing CMS (Central Monitoring Systems) for a minimum 1000 ATM/Currency Chest/Cash Vault/Bank branches in India as on 30th June, 2017. All documentary evidence should be provided.	Is it to be counted on individual basis or on consortium?	It is to be counted on individual basis only.
4	16 – 18 of Pre-bid responses uploaded on 05/08/2017	Commercial format	Table A		with storage	if the same is not mentioned

				full-fledged BOQ	
5	18	Commercial	Table B	Connectivity has	
	of Pre-bid	format		been mentioned	
	responses			as secondary	
	uploaded on 05/08/2017			backup link.	
	03/06/2017			Should it be	The primary link will be
				assumed that	provided by the Bank. The
				primary link will be	connectivity from CMS to the
				provided by the	individual site will be
				bank? Ideally, at	provided by the Bank itself.
				the central	· ·
				infrastructure or	this link will be upgraded as
				Command	per the requirements.
				center, bank	
				·	However, the SIM based
				·	secondary link has to be
				backhaul link with	,
				·	meet the set SLA.
				secondary	
				backup. Need	
				clarity on the	
	10.10		T	same.	5:11
6	18-19 of Pre-bid	Commercial format	Table C	Detailed	Bidder should ensure the
	responses	TOTTICI		specification,	minmum configuration of
	uploaded on			model number	Services/Storage/Network
	05/08/2017			and quantity is	
				required for all	SLA.
				computing devices. Certain	All required
					hardware/software have to
				mentioned for	_
					only. Bank will not provide
				example filewall,	orny, bank will not provide

				Switch, Router, etc. Should it be assumed that bank will be providing the same? If not then it should be included in the format. Command center would also require backhaul link which is not mentioned in the schedule C.	commercial bid. Additional rows may be inserted for any line-items if the same is not available in the prescribed format of
7	23 of Pre-bid responses uploaded on 05/08/2017	Revised Annexure – XI Technical Specification: Integrated Panel	On-board Keypad for programming of Panel	The Web/Mobile interface for Programming Panel may please be considered.	Bidder may provide Keypad or web/mobile based interface for the programming panel.
8		Commercial Bid		1 TB Hard Disk Drive is not sufficient for storage of 30 days data. It may be increased.	Please refer to the revised Commercial bid format, separate line items have been introduced.

Corrigendum

SI	Page	Existing Clauses	Modified Clauses
No	No. of		
	RFP		
1		Last Date & Time for submission of	Last Date & Time for submission of Bid
		Bid Documents:	Documents:
	6	25-08-2017 till 3.00 PM	29-08-2017 fill 3.00 PM
2		Opening of Technical Bids:	Opening of Technical Bids:
	6	25-08-2017 at 3.30 PM	29-08-2017 at 3.30 PM

Annexure-VI (Revised)

Commercial Bid Template (Amount in Rs.)

TOTAL COST OF OWNERSHIP (TCO)

	Table-A – In			ment/ Devi		(One Ti	me)	
Items	Number of branches (a)	Number of Off- site ATMs (b)	Total Number of devices c = (a) + (b)	Unit Cost (in Rs.) (d) with 03 yr warranty	Tax (%) (e)	Tax (in Rs.) (f)	Total Unit Cost (in Rs.) g = (d + f) with 03 yrs. warranty	Total cost h=(g*c) with 03 yrs. warranty
CCTV	Small-	575	20,000*	XXXX	XXXX	XXXX	XXXX	XXXX
Camera	1597 Medium- 1431 Large-35							
NVR (4	1597	575	2172	XXXX	XXXX	XXXX	XXXX	XXXX
Channel)								
NVR (8 Channel)	1431	xxxx	1431	XXXX	XXXX	XXXX	xxxx	XXXX
NVR (16 Channel)	35	xxxx	35	XXXX	XXXX	XXXX	XXXX	XXXX
Hard Disk Drive -2 TB	1597	575	2172	XXXX	XXXX	XXXX	XXXX	XXXX
Hard Disk Drive	1466	XXXX	1466	XXXX	XXXX	xxxx	XXXX	XXXX

– 4 TB									
Siren/ Hooter	3063	575	3638	xxxx	XXXX	XXXX	XXXX	xxxx	
Panic Switch	3063	575	3638	xxxx	XXXX	XXXX	XXXX	xxxx	
PIR	3063	575	3638	XXXX	XXXX	XXXX	XXXX	XXXX	
Tilt Sensor	3063	575	3638	xxxx	XXXX	XXXX	XXXX	XXXX	
Vibration Sensor	3063	575	3638	XXXX	XXXX	XXXX	XXXX	xxxx	
Magnetic Sensor	3063	575	3638	XXXX	XXXX	XXXX	XXXX	XXXX	
Fire Sensor	3063	575	3638	xxxx	XXXX	XXXX	XXXX	XXXX	
Connectivity Solution(Panel with one SIM)	3063	575	3638	xxxx	XXXX	xxxx	XXXX	xxxx	
Back Door Censor	3063	575	3638	XXXX	XXXX	XXXX	XXXX	XXXX	
Smoke Sensor	3063	575	3638	xxxx	XXXX	XXXX	XXXX	xxxx	
2-Way Audio Solution	3063	575	3638	XXXX	XXXX	XXXX	XXXX	XXXX	
Implementation	3063	575	3638	xxxx	XXXX	XXXX	XXXX	xxxx	
Charges									
Any other				XXXX	XXXX	XXXX	XXXX	XXXX	
items, if									
required									
(Mention									
Details)									
	Total Cost of equipment/ devices for Individual Site Setup(One time)								

Note-

- 1. The estimated quantity of cameras is based on the number of channels available with the type of NVR (4/8/16 channel) to be installed at the site. It indicates the estimated quantity only.
- 2. The total cost of equipment/ devices (Table A) is based on the estimated quantity of devices and shall be used for calculating overall TCO and L1 bidder selection only. However, Bank will place purchase order for devices on the basis of unit cost, mentioned in Table A, of the device.

	Table-B Individual Sites – Connectivity Usages Charges									
Items	Number of branches (a)	Number of Off- site ATMs (b)	Total Number of sites c = (a) + (b)	Monthly Charges (in Rs.) (d)	Tax (%) (e)	Tax (in Rs.) (f)	Yearly Usages Charges per site (in Rs.) g = 12*(d+f)	Total cost for 05 Years h=c*(g*5)		
Connectivity Usage Charges (Secondary Link)	3063	575	3638	XXXX	XXXX	xxxx	XXXX	XXXX		
	l			Total Coni	nectivity	, Usage:	s Charges	XXXX		

Table-C – Central Monitoring System – Hardware & Software Cost (One Time)									
Software Items	Unit Cost with 03 year warranty (a)	Qty (b)	Tax (%) (c)	Tax (in Rs.) (d)	Total Unit Cost e=(a+d)	Total cost with 03 year warranty =b*e			
Application	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX			
Software									
Other Software (if	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX			
any, mention									
details)									
Desktop Terminals	XXXX	20	xxxx	XXXX	XXXX	XXXX			
(without Monitors)									
Monitors (2 nos. Per	XXXX	40	XXXX	XXXX	XXXX	XXXX			
terminal)									
Servers	XXXX	XXXX	XXXX	XXXX	xxxx	XXXX			
Managed Switch	XXXX	XXXX	XXXX	XXXX	xxxx	XXXX			
Storage (if any)	XXXX	XXXX	xxxx	XXXX	XXXX	XXXX			
Headsets	XXXX	XXXX	XXXX	XXXX	xxxx	XXXX			
Server Rack	XXXX	xxxx	xxxx	XXXX	xxxx	xxxx			
Other Hardware (if	XXXX	xxxx	XXXX	XXXX	XXXX	XXXX			
any, Mention									
Details)									

Escrow	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX		
Management cost								
Any other charges	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX		
(Mention Details)								
Implementation	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX		
Cost								
Total Cost for Central Monitoring System (One Time) XXXX								

Table-D – Central Monitoring System – AMC/ ATS Charges for Hardware &									
Software									
			Tax		Total				
Coffeens House	Unit Cost	Qty	(%)	Tax (in Rs.)	Unit	Total cost			
Software Items	(a)	(b)	(c)	(d)	Cost	=b*e			
					e=(a+d)				
AMC of Hardware for 04th Year	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX			
AMC of Hardware for 05 th Year	XXXX	XXXX	XXXX	XXXX	XXXX	xxxx			
ATS of Software for 04th Year	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX			
ATS of Software for	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX			
05 th Year									
	Total Cost for AMC/ ATS Central Monitoring System								

	Table-E – Individual Sites – AMC Charges							
Items	Number of branches (a)	Number of Off- site ATMs (b)	Total Number of sites c = (a) + (b)	AMC Charges per site (in Rs.) (d)	Tax (%) (e)	Tax (in Rs.) (f)	AMC Charges per site (in Rs.) g = (d+f)	Total AMC Charges h=(g*c)
AMC Charges of devices installed at Individual Sites – 04th Year	3063	575	3638	XXXX	XXXX	XXXX	XXXX	XXXX
AMC Charges	3063	575	3638	XXXX	XXXX	XXXX	XXXX	XXXX

of devices installed at Individual Sites- 5 th Year							
		1	otal Cost c	of AMC f	or Indiv	idual Sites	XXXX

Table-F — Facility Management Services (FMS)					
Items	Resources required (a)	Charges per resource (b)	Tax (%) (c)	Tax (in Rs.) (d)	Total Charges (₹) e=a*(b+d)
Facility		XXXX	XXXX	XXXX	XXXX
Management	05				
Services – 1st Year					
Facility		XXXX	XXXX	XXXX	XXXX
Management	10				
Services - 2 nd	10				
Year					
	Total Cha	irges for Facili	ty Manage	ement Services	XXXX

Table-G – Training Charges (One Time)				
Items	Charges (a)	Tax (%) (b)	Tax (in Rs.) (c)	Total Charges (₹) d=a+c
Training to be imparted to 20-25 Bank's staff at	XXXX	xxxx	XXXX	xxxx
Kolkata for three days				
(Premises and				
infrastructure to be				
provided by Bank)				
		Total Cha	arges for Training	XXXX

Table H- Total Cost of Ownership (TCO)				
Table	Particulars	Cost		
Α	Total Cost of equipment/ devices for Individual Site Setup(One time) with 03 year warranty	xxxxxx		
В	Individual Sites – Connectivity Usages Charges for 05 years	XXXXXX		

С	Total Cost for Central Monitoring System (One Time) with 03 year Warranty	xxxxx
D	Total Cost for AMC/ ATS Central Monitoring System – 04 th & 05 th Year	xxxxxx
E	Total AMC Charges for individual sites – 04th & 05th Year	XXXXXX
F	Facility Management Services (FMS) – 02 years	XXXXXX
G	Training Charges	XXXXXX
	Total Cost of Ownership for 05 years	XXXXXX

(Total Cost of Ownership for 05 years in

words
WOLUZ
77 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -

Optional Item (Not to be considered for calculation of TOC):

Optional Item				
Items	Unit Cost (a)	Tax (%) (b)	Tax (in Rs.) (c)	Total Cost (Rs) d=a+c
08 Hours Backup for NVR at selected locations as per Bank's requirements	XXXX	XXXX	XXXX	XXXX
Total Cost			XXXX	

Place:	Authorised
Signatory	
Date:	Name:

Stamp:

Note:

- 1. L1 Bidder will be determined based upon lowest TCO quoted by the bidder.
- 2. In case of discrepancy between figures and words, the amount in words shall prevail.
- 3. The rate quoted by the bidder should be exclusive of all taxes applicable / payable.
- 4. The rate quoted should be excluding all costs, allowances, taxes, GST, levies etc.
- 5. The bidder should mention all costs, allowances, taxes, GST, levies etc. separately and firmly under the Tax Column.
- Bidder should strictly quote in the format as mentioned above. 6.
- 7. No counter condition/assumption in response to commercial bid will be accepted. Bank has a right to reject such bid.
- Quantity mentioned above is indicative. If may vary as per requirement of Bank. 8.

9. The quantity of devices CCTV, DVR etc. are indicative in nature. Bank may procure CCTV and DVR based as its requirement. Bank will not guarantee minimum quantity.

Note:

Any document uploaded after the upload of this document may supersede the contents of this document.

Place: Kolkata	
Date: 24/08/20	17
	XXXXX